

# Product data sheet

Specifications



## APC Replacement Battery Cartridge #164 with 2 Year Warranty

APCRBC164

### Overview

Lead time Usually in Stock

### Main

Main Input Voltage 12 V DC  
Product or Component Type Replacement battery cartridge  
Battery Type Lead-Acid battery  
Provided Equipment Installation guide

### Batteries & Runtime

Battery Slots Empty 0  
Included Battery Modules 0  
Battery Voltage 12 V  
RBC Quantity 1

### Physical

Color Black  
Height 4.1 in (105 mm)  
Width 5.9 in (151 mm)  
Depth 2.6 in (65 mm)  
Product Weight 6.6 lb(US) (3 kg)  
Mounting Mode Not rack-mountable

### Output

Battery Capacity 9.4 Ah

### Environmental

Ambient Air Temperature for Operation 32...113 °F (0...45 °C)  
Operating altitude 0...10000 ft  
Relative Humidity 0...95 % non-condensing  
Ambient Air Temperature for Storage 5...113 °F (-15...45 °C)  
Storage altitude 0...50000 ft (0...15240 m)  
Storage Relative Humidity 0...95 % non-condensing

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

## Ordering and shipping details

---

GTIN 731304346869

## Packing Units

---

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	3.5 in (8.9 cm)
Package 1 Width	8.4 in (21.3 cm)
Package 1 Length	6.9 in (17.5 cm)
Package weight(Lbs)	7.7 lb(US) (3.5 kg)
SCC14	10731304346866

## Contractual warranty

---

Warranty (in months) 24



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



### Environmental footprint

Total lifecycle Carbon footprint	22 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	11 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	0.5 kg CO2 eq.
Carbon footprint of the installation phase [A5]	0.3 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	1 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	9 kg CO2 eq.
Environmental Disclosure	<a href="#">Product Environmental Profile</a>

## Use Better



### Materials and Substances

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	<a href="#">Compliant</a>
REACH Regulation	<a href="#">Reference contains Substances of Very High Concern above the threshold</a>

## Use Longer



### Lifetime extension

Repair	No
--------	----

## Use Again



### Repack and remanufacture

Recyclability potential, in %	1
Circularity Profile	<a href="#">End of Life Information</a>
Take-back	No