

# Product data sheet

Specifications



## APC Replacement Battery Cartridge, VRLA, 7Ah, 12V DC, 2-year warranty

APCRBCV210

### Overview

Lead time Usually in Stock

### Main

Product or Component Type Replacement battery cartridge

Main Output Voltage 12 V DC

Number of rack unit 0U

Battery Type VRLA

### Batteries & Runtime

Battery Placement Internal Battery

Battery blocks per string 1

Battery Slots Empty 0

Included Battery Modules 0

Battery Voltage 12 V

RBC Quantity 1

### Physical

Height 3.9 in (99 mm)

Width 2.6 in (65 mm)

Depth 5.9 in (151 mm)

Product Weight 4.06 lb(US) (1.84 kg)

Mounting Mode Not rack-mountable

USB compatible No

### Output

Battery Capacity 7 Ah

### Conformance

Product Certifications CB

### Environmental

Ambient Air Temperature for Operation 32...104 °F (0...40 °C)

Operating altitude 0...6561.68 ft (0...2000 m)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Relative Humidity	0...90 % non-condensing
Ambient Air Temperature for Storage	5...113 °F (-15...45 °C)
Storage altitude	0...9842.5 ft (0...3000 m)
Storage Relative Humidity	0...95 % non-condensing

## Ordering and shipping details

GTIN	731304451129
------	--------------

## Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	6.693 in (17.000 cm)
Package 1 Width	6.102 in (15.500 cm)
Package 1 Length	7.362 in (18.700 cm)
Package weight(Lbs)	4.486 lb(US) (2.035 kg)
Unit Type of Package 2	BB1
Number of Units in Package 2	6
Package 2 Height	7.362 in (18.700 cm)
Package 2 Width	15.354 in (39.000 cm)
Package 2 Length	19.291 in (49.000 cm)
Package 2 Weight	28.717 lb(US) (13.026 kg)
Unit Type of Package 3	P12
Number of Units in Package 3	36
Package 3 Height	20.472 in (52.000 cm)
Package 3 Width	31.496 in (80.000 cm)
Package 3 Length	47.244 in (120.000 cm)
Package 3 Weight	194.007 lb(US) (88.000 kg)

## Contractual warranty

Warranty (in months)	24
----------------------	----



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



### Environmental footprint

Total lifecycle Carbon footprint	13 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	7 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	0.3 kg CO2 eq.
Carbon footprint of the installation phase [A5]	0.2 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	0.8 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	5 kg CO2 eq.
Environmental Disclosure	<a href="#">Product Environmental Profile</a>

### Use Better



### Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
SCIP Number	9d64af64-ba09-487b-83a8-542c851816cc
EU RoHS Directive	<a href="#">Compliant</a>
REACH Regulation	<a href="#">Reference contains Substances of Very High Concern above the threshold</a>

### Use Longer



### Lifetime extension

Repair	No
--------	----

### Use Again



### Repack and remanufacture

Recyclability potential, in %	1
Circularity Profile	<a href="#">End of Life Information</a>
Take-back	No
WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.

Image of product / Alternate images

Alternative

---

