

# Product data sheet

Specifications



## APC Replacement Battery Cartridge, VRLA, 6Ah, 12V DC, 2-year warranty

APCRBCV211

### Overview

Lead time Usually in Stock

### Main

Product or Component Type Replacement battery cartridge

Main Output Voltage 12 V DC

Number of rack unit 0U

Battery Type VRLA

### Batteries & Runtime

Battery Placement Internal Battery

Battery blocks per string 1

Battery Slots Empty 0

Included Battery Modules 0

Battery Voltage 12 V

RBC Quantity 1

### Physical

Height 4.2 in (107 mm)

Width 2.8 in (70 mm)

Depth 3.5 in (90 mm)

Product Weight 4.2 lb(US) (1.9 kg)

Mounting Mode Not rack-mountable

USB compatible No

### Output

Battery Capacity 6 Ah

### Conformance

Product Certifications CB

### Environmental

Ambient Air Temperature for Operation 32...104 °F (0...40 °C)

Operating altitude 0...6561.68 ft (0...2000 m)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

---

Relative Humidity	0...90 % non-condensing
Ambient Air Temperature for Storage	5...113 °F (-15...45 °C)
Storage altitude	0...9842.5 ft (0...3000 m)
Storage Relative Humidity	0...95 % non-condensing

---

## Ordering and shipping details

---

GTIN	731304451136
------	--------------

## Packing Units

---

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	6.3 in (15.9 cm)
Package 1 Width	6.8 in (17.3 cm)
Package 1 Length	7.4 in (18.9 cm)
Package weight(Lbs)	4.96 lb(US) (2.25 kg)

## Contractual warranty

---

Warranty (in months)	24
----------------------	----



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



### Environmental footprint

Total lifecycle Carbon footprint	14 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	7 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	0.3 kg CO2 eq.
Carbon footprint of the installation phase [A5]	0.2 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	0.7 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	5 kg CO2 eq.
Environmental Disclosure	<a href="#">Product Environmental Profile</a>

## Use Better



### Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
SCIP Number	9d64af64-ba09-487b-83a8-542c851816cc
EU RoHS Directive	<a href="#">Compliant</a>
REACH Regulation	<a href="#">Reference contains Substances of Very High Concern above the threshold</a>

## Use Longer



### Lifetime extension

Repair	No
--------	----

## Use Again



### Repack and remanufacture

Recyclability potential, in %	1
Circularity Profile	<a href="#">End of Life Information</a>
Take-back	No

Image of product / Alternate images

Alternative

---

