


Product data sheet

Specifications



Galaxy VM Dust Filter Kit Wide Power Cabinet

GVMDFW-KIT

Overview

Presentation	Replacement dust filters for wide UPS cabinet.
Lead time	Usually in Stock

Main

Range of Product	Galaxy VM
Range Compatibility	Galaxy VM
Provided Equipment	Installation guide

Physical

Height	4.7 in (12 cm)
Width	15.4 in (39 cm)
Depth	9.4 in (24 cm)
Product Weight	4.4 lb(US) (2 kg)

Conformance

Standards	EN/IEC 62040-1 EN/IEC 62040-2 EN/IEC 62040-3 FCC Part 15 class A IBC 2012 and CBC2013 to Sds=2.02g UL 1778 VFI-SS-111
Product Certifications	C-tick CE RCM

Environmental

Ambient Air Temperature for Operation	32...104 °F (0...40 °C)
Operating altitude	0...3333 ft
Relative Humidity	0...95 %
Ambient Air Temperature for Storage	-13...131 °F (-25...55 °C)
Storage altitude	0...49212 ft (0...14999.8 m)
Storage Relative Humidity	0...95 %

Ordering and shipping details

GTIN	731304311232
------	--------------

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	5.0 in (12.7 cm)
Package 1 Width	9.5 in (24.1 cm)
Package 1 Length	15.6 in (39.6 cm)
Package weight(Lbs)	7.7 lb(US) (3.5 kg)

Contractual warranty

Warranty (in months)	12
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

[Environmental Disclosure](#)

[Product Environmental Profile](#)

Use Better



Materials and Substances

Packaging made with recycled cardboard

Yes

Packaging without single use plastic

No

EU RoHS Directive

[Compliant By Exemption](#)

REACH Regulation

[Free of Substances of Very High Concern above the threshold](#)



Energy efficiency

Optimized Energy Efficiency

Energy efficient product

Use Longer



Lifetime extension

Repair

No

Use Again



Repack and remanufacture

Circularity Profile

[End of Life Information](#)

Take-back

No

WEEE Label



The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.