

Product data sheet

Specifications



APC Replacement Battery Cartridge for Smart-UPS Line Interactive, 48V 10Ah lead-acid battery, 2-year repair or replace warranty

RBC43

Product availability: Non-Stock - Not normally stocked in distribution facility

Overview

Lead time Usually in Stock

Main

| | |
|---------------------------|--|
| Product or Component Type | Replacement battery cartridge |
| Number of cables | 1 |
| Battery Type | Lead-Acid battery |
| Provided Equipment | All required connectors Battery recycling guide Metallic battery tray or enclosure Reusable packaging Installation guide |
| Range of Product | Replacement Battery Cartridges |

Batteries & Runtime

| | |
|--------------------------|----------------------------|
| Battery Slots Empty | 0 |
| Included Battery Modules | 0 |
| Device mounting | Enclosed battery cartridge |
| Battery Voltage | 48V |
| RBC Quantity | 1 |

Physical

| | |
|----------------|-------------------------|
| Height | 3.0 in (76 mm) |
| Width | 8.5 in (216 mm) |
| Depth | 21.0 in (533 mm) |
| Product Weight | 42.09 lb(US) (19.09 kg) |
| Mounting Mode | Not rack-mountable |
| USB compatible | No |

Environmental

| | |
|---------------------------------------|-------------------------|
| Ambient Air Temperature for Operation | 32...104 °F (0...40 °C) |
| Operating altitude | 0...10000 ft |
| Relative Humidity | 0...95 % |

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

| | |
|-------------------------------------|----------------------------|
| Ambient Air Temperature for Storage | 5...113 °F (-15...45 °C) |
| Storage altitude | 0...50000 ft (0...15240 m) |
| Storage Relative Humidity | 0...95 % |

Ordering and shipping details

| | |
|-------------------|---------------------------|
| Category | 11309-APC RESALE PRODUCTS |
| Discount Schedule | APC1 |
| GTIN | 731304218463 |
| Returnability | No |

Packing Units

| | |
|------------------------------|-----------------------------|
| Unit Type of Package 1 | PCE |
| Nbr. of units in pkg. | 1 |
| Package 1 Height | 9.016 in (22.900 cm) |
| Package 1 Width | 30.236 in (76.800 cm) |
| Package 1 Length | 15.512 in (39.400 cm) |
| Package weight(Lbs) | 45.085 lb(US) (20.450 kg) |
| Unit Type of Package 2 | P12 |
| Number of Units in Package 2 | 12 |
| Package 2 Height | 31.496 in (80.000 cm) |
| Package 2 Width | 31.496 in (80.000 cm) |
| Package 2 Length | 47.244 in (120.000 cm) |
| Package 2 Weight | 566.941 lb(US) (257.160 kg) |

Contractual warranty

| | |
|----------------------|----|
| Warranty (in months) | 24 |
|----------------------|----|



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

| | |
|--|---|
| Total lifecycle Carbon footprint | 136 kg CO2 eq. |
| Carbon footprint of the manufacturing phase [A1 to A3] | 71 kg CO2 eq. |
| Carbon footprint of the distribution phase [A4] | 3 kg CO2 eq. |
| Carbon footprint of the installation phase [A5] | 2 kg CO2 eq. |
| Carbon footprint of the use phase [B2, B3, B4, B6] | 4 kg CO2 eq. |
| Carbon footprint of the end-of-life phase [C1 to C4] | 55 kg CO2 eq. |
| Environmental Disclosure | Product Environmental Profile |

Use Better



Materials and Substances

| | |
|--|--|
| Packaging made with recycled cardboard | Yes |
| Packaging without single use plastic | No |
| EU RoHS Directive | Compliant |
| REACH Regulation | Reference contains Substances of Very High Concern above the threshold |
| California proposition 65 | WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov |

Use Longer



Lifetime extension

| | |
|--------|----|
| Repair | No |
|--------|----|

Use Again



Repack and remanufacture


| | |
|-------------------------------|--|
| Recyclability potential, in % | 1 |
| Circularity Profile | End of Life Information |
| Take-back | No |
| WEEE Label |  The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins. |

Image of product / Alternate images

Alternative

