

Product data sheet

Specifications



APC Smart-UPS, Lithium-Ion, 2200VA, 120V with SmartConnect Port, Network Card and L5-20R, No Battery

SMTL2K2R2CLNC-NB

Overview

Lead time Usually in Stock

Main

Main Input Voltage 120 V AC 1 phase

Output voltage 120 V AC 1 phase

Rated power in W 1920 W

rated power in VA 2200 VA

Maximum configurable power in VA 2200 VA

Max Configurable Power (Watts) 1920 W

Topology Line Interactive

Complementary

Battery Size Li-Ion (Lithium Ion) external sold separately

Pre-Installed SmartSlot Cards Network management card 3 with environmental monitoring

UPS connectivity
Serial port
USB port
SmartConnect port
Pre-installed network management card 3

Number of rack unit 0U

Mounting Mode Not rack-mountable

Mounting mode Rack-mounted with included kit

Redundant No

Range of Product Smart-UPS

Product or Component Type Uninterruptible power supply (UPS)

Environment

Product Certifications ENERGY STAR V2.0 (USA)

Storage altitude 0...25000 ft (0...7620 m)

Batteries & Runtime

Battery Type Li-Ion (Lithium Ion)

Extendable Run Time 0

Ordering and shipping details

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

GTIN	731304451242
------	--------------

Country of origin	PH
-------------------	----

Packing Units

Unit Type of Package 1	PCE
------------------------	-----

Nbr. of units in pkg.	1
-----------------------	---

Contractual warranty

Warranty (in months)	60
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Total lifecycle Carbon footprint	1 300 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	447 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	0 kg CO2 eq.
Carbon footprint of the installation phase [A5]	5 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	847 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	1 kg CO2 eq.

Use Better



Materials and Substances

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
SCIP Number	31346aed-552c-4a16-81d9-e683a383b6da
EU RoHS Directive	Compliant By Exemption
REACH Regulation	Reference contains Substances of Very High Concern above the threshold



Energy efficiency



ENERGY STAR®

ENERGY STAR UPS V2.0 (USA)

Use Longer



Lifetime extension

Repair	No
--------	----

Use Again



Repack and remanufacture


Circularity Profile	End of Life Information
Removable battery	User replaceable
Take-back	Yes
WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.

Image of product / Alternate images

Alternative

