

# Product data sheet

Specifications



## APC Smart-UPS Step-Down Transformer, 5kVA, rackmount, 2U, 12x NEMA 5-20R outlets

SRT5KRMTF

Product availability: Non-Stock - Not normally stocked in distribution facility

### Overview

Lead time Usually in Stock

### Main

Main Input Voltage	208 V
Product or Component Type	Transformer
Main Output Voltage	120 V
Input Connection Type	NEMA L6-30P
Number of rack unit	2U
Number of cables	1
Provided Equipment	Mounting Hardware Rack Mounting brackets User Manual Warranty card
Range of Product	Smart-UPS Accessories

### Physical

Color	Black
Height	3.5 in (89 mm)
Width	17.008 in (432 mm)
Depth	25.08 in (637 mm)
Product Weight	95.00 lb(US) (43.09 kg)
Mounting Location	Front
Mounting preference	No preference
Mounting Mode	Rack-mounted
Mounting position	Horizontal

### Input

Max line current	24 A
Input current limits	30 A
Load Capacity	5000 VA

### Output

Maximum Total Current Draw per Phase	24 A
Number of power socket outlets	12

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

---

Number of power socket outlets	12 NEMA 5-20R
--------------------------------	---------------

## Conformance

---

Product Certifications	CSA
------------------------	-----

---

Standards	UL 1778
-----------	---------

## Environmental

---

Ambient Air Temperature for Operation	32...104 °F (0...40 °C)
---------------------------------------	-------------------------

---

Relative Humidity	0...95 % non-condensing
-------------------	-------------------------

---

Operating altitude	0...10000 ft
--------------------	--------------

---

Ambient Air Temperature for Storage	5...113 °F (-15...45 °C)
-------------------------------------	--------------------------

---

Storage Relative Humidity	0...95 % non-condensing
---------------------------	-------------------------

---

Storage altitude	0...50000 ft (0...15240 m)
------------------	----------------------------

## Ordering and shipping details

---

Category	80230-IG SEBA TO SEUSA
----------	------------------------

---

Discount Schedule	BMS1
-------------------	------

---

GTIN	731304318866
------	--------------

---

Returnability	No
---------------	----

## Packing Units

---

Unit Type of Package 1	PCE
------------------------	-----

---

Nbr. of units in pkg.	1
-----------------------	---

---

Package 1 Height	10.0 in (25.4 cm)
------------------	-------------------

---

Package 1 Width	37.5 in (95.2 cm)
-----------------	-------------------

---

Package 1 Length	24.5 in (62.2 cm)
------------------	-------------------

---

Package weight(Lbs)	110.01 lb(US) (49.9 kg)
---------------------	-------------------------

## Contractual warranty

---

Warranty (in months)	24
----------------------	----



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



### Environmental footprint

Total lifecycle Carbon footprint	4 541 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	176 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	4 kg CO2 eq.
Carbon footprint of the installation phase [A5]	0 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	4 358 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	3 kg CO2 eq.

## Use Better



### Materials and Substances

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
SCIP Number	A64c500c-f72a-458b-8faa-8175a94429fe
EU RoHS Directive	<a href="#">Compliant By Exemption</a>
REACH Regulation	<a href="#">Reference contains Substances of Very High Concern above the threshold</a>

## Use Longer



### Lifetime extension

Repair	No
--------	----

## Use Again



### Repack and remanufacture


Recyclability potential, in %	86
Circularity Profile	<a href="#">End of Life Information</a>
Take-back	Yes
WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.

Image of product / Alternate images

Alternative

---

