

Product data sheet

Specifications



APC Smart-UPS On-Line SRT Battery Pack for 2.2kVA Extended runtime model 72V

SRT72BP

Overview

Lead time Usually in Stock

Main

Product or Component Type	External battery pack
Number of rack unit	2U
Battery Type	Lead-Acid battery
Provided Equipment	Documentation CD Installation guide
Range of Product	Smart-UPS Battery Systems
Replacement battery	APCRBC141

Batteries & Runtime

Battery Slots Empty	0
Included Battery Modules	0
Battery Voltage	72V
RBC Quantity	2

Physical

Color	Black
Height	17.008 in (432 mm)
Width	3.3 in (85 mm)
Depth	23.4 in (594 mm)
Product Weight	74.7 lb(US) (33.9 kg)
Mounting Mode	Rack-mounted with kit

Output

Battery Capacity	10 Ah
------------------	-------

Environmental

Ambient Air Temperature for Operation	32...104 °F (0...40 °C)
Operating altitude	0...10000 ft
Relative Humidity	0...95 % non-condensing
Ambient Air Temperature for Storage	5...113 °F (-15...45 °C)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Storage altitude	0...50000 ft (0...15240 m)
-------------------------	----------------------------

Storage Relative Humidity	0...95 % non-condensing
----------------------------------	-------------------------

Ordering and shipping details

GTIN	731304317708
-------------	--------------

Packing Units

Unit Type of Package 1	PCE
-------------------------------	-----

Nbr. of units in pkg.	1
------------------------------	---

Package 1 Height	9.646 in (24.500 cm)
-------------------------	----------------------

Package 1 Width	24.213 in (61.500 cm)
------------------------	-----------------------

Package 1 Length	33.071 in (84.000 cm)
-------------------------	-----------------------

Package weight(Lbs)	85.980 lb(US) (39.000 kg)
----------------------------	---------------------------

Contractual warranty

Warranty (in months)	24
-----------------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Total lifecycle Carbon footprint	173 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	140 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	9 kg CO2 eq.
Carbon footprint of the installation phase [A5]	11 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	136 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	13 kg CO2 eq.

Use Better



Materials and Substances

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
SCIP Number	488c31fb-3af8-42cf-9558-1362d000a07e
EU RoHS Directive	Compliant
REACH Regulation	Reference contains Substances of Very High Concern above the threshold
California proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Use Longer



Lifetime extension

Repair	No
--------	----

Use Again



Repack and remanufacture

Recyclability potential, in %	48
Circularity Profile	End of Life Information
Removable battery	User replaceable
Take-back	Yes
WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.

Image of product / Alternate images

Alternative

