

Product data sheet

Specifications



APC Smart-UPS SRT 96V 3kVA RM Battery Pack



SRT96RMBP

Overview

Lead time Usually in Stock

Main

| | |
|---------------------------|--|
| Product or Component Type | External battery pack |
| Number of rack unit | 2U |
| Battery Type | Lead-Acid battery |
| Provided Equipment | Rack Mounting brackets User Manual Warranty card |
| Range of Product | Smart-UPS Battery Systems |
| Replacement battery | APCRBC152 |

Batteries & Runtime

| | |
|--------------------------|---------------------------|
| Battery Slots Empty | 0 |
| Included Battery Modules | 0 |
| Device mounting | Stand alone battery stack |
| Battery Voltage | 96V |
| RBC Quantity | 2 |

Physical

| | |
|--------------------|-----------------------|
| Color | Black |
| Height | 3.3 in (85 mm) |
| Width | 17.008 in (432 mm) |
| Depth | 23.4 in (594 mm) |
| Product Weight | 89.5 lb(US) (40.6 kg) |
| Mounting Mode | Rack-mounted |
| Two post mountable | 1 |

Output

| | |
|------------------|-------|
| Battery Capacity | 19 Ah |
|------------------|-------|

Conformance

| | |
|-----------|-------|
| Standards | OSHPD |
|-----------|-------|

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Environmental

| | |
|---------------------------------------|-------------------------|
| Ambient Air Temperature for Operation | 32...104 °F (0...40 °C) |
| Operating altitude | 0...10000 ft |
| Relative Humidity | 0...95 % non-condensing |

| | |
|-------------------------------------|----------------------------|
| Ambient Air Temperature for Storage | 5...113 °F (-15...45 °C) |
| Storage altitude | 0...50000 ft (0...15240 m) |
| Storage Relative Humidity | 0...95 % non-condensing |

Ordering and shipping details

| | |
|------|--------------|
| GTIN | 731304317739 |
|------|--------------|

Packing Units

| | |
|------------------------|---------------------------|
| Unit Type of Package 1 | PCE |
| Nbr. of units in pkg. | 1 |
| Package 1 Height | 9.4 in (23.9 cm) |
| Package 1 Width | 23.6 in (59.9 cm) |
| Package 1 Length | 32.7 in (83.1 cm) |
| Package weight(Lbs) | 98.106 lb(US) (44.500 kg) |

Contractual warranty

| | |
|----------------------|----|
| Warranty (in months) | 24 |
|----------------------|----|



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

| | |
|--|----------------|
| Total lifecycle Carbon footprint | 204 kg CO2 eq. |
| Carbon footprint of the manufacturing phase [A1 to A3] | 165 kg CO2 eq. |
| Carbon footprint of the distribution phase [A4] | 11 kg CO2 eq. |
| Carbon footprint of the installation phase [A5] | 13 kg CO2 eq. |
| Carbon footprint of the use phase [B2, B3, B4, B6] | 155 kg CO2 eq. |
| Carbon footprint of the end-of-life phase [C1 to C4] | 16 kg CO2 eq. |

Use Better



Materials and Substances

| | |
|--|--|
| Packaging made with recycled cardboard | Yes |
| Packaging without single use plastic | No |
| SCIP Number | 488c31fb-3af8-42cf-9558-1362d000a07e |
| EU RoHS Directive | Compliant By Exemption |
| REACH Regulation | Reference contains Substances of Very High Concern above the threshold |
| California proposition 65 | WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov |

Use Longer



Lifetime extension

| | |
|--------|----|
| Repair | No |
|--------|----|

Use Again



Repack and remanufacture

| | |
|-------------------------------|--|
| Recyclability potential, in % | 48 |
| Circularity Profile | End of Life Information |
| Removable battery | User replaceable |
| Take-back | Yes |
| WEEE Label |  The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins. |

Image of product / Alternate images

Alternative

