

Product data sheet

Specifications



APC Smart-UPS Ultra On-Line 15ft Extension Cable for SRTL 10K 180V XBP

SRTL016

Overview

Lead time Usually in Stock

Main

Product or Component Type Cable
Provided Equipment Installation guide
Range of Product Smart-UPS Ultra

Physical

Color Black
Height 2.008 in (51 mm)
Width 15 in (381 mm)
Depth 180 in (4572 mm)
Product Weight 7.54 lb(US) (3.42 kg)
Mounting Mode Not rack-mountable
USB compatible No

Environmental

Ambient Air Temperature for Storage 32...104 °F (0...40 °C)

Ordering and shipping details

GTIN 731304619437
Country of origin PH

Packing Units

Unit Type of Package 1 PCE
Nbr. of units in pkg. 1
Package 1 Height 15.4 in (39 cm)
Package 1 Width 15.4 in (39 cm)
Package 1 Length 4.9 in (12.5 cm)
Package weight(Lbs) 9.52 lb(US) (4.32 kg)

Contractual warranty

Warranty (in months) 60

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Total lifecycle Carbon footprint	854 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	34 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	0.4 kg CO2 eq.
Carbon footprint of the installation phase [A5]	0 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	3 339 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	0.3 kg CO2 eq.
Environmental Disclosure	Product Environmental Profile

Use Better



Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
SCIP Number	422663a7-baeb-4cb7-bbc6-b99e5d0c5821
EU RoHS Directive	Compliant By Exemption
REACH Regulation	Reference contains Substances of Very High Concern above the threshold

Use Longer



Lifetime extension

Repair	No
--------	----

Use Again



Repack and remanufacture

Recyclability potential, in %	65
Circularity Profile	End of Life Information
Removable battery	No
Take-back	Yes
WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.

Image of product / Alternate images

Alternative

