

Product data sheet

Specifications



APC Smart-UPS Ultra Lithium-ion Battery Module



SRYLBM

Overview

Lead time Usually in Stock

Main

Product or Component Type Battery module
Battery Type Li-Ion (Lithium Ion)
Range of Product Smart-UPS Modular Ultra Accessories

Batteries & Runtime

Battery Placement External Frame
Device mounting Built-in
Battery Voltage 180 V

Physical

Color Silver
Height 2.5 in (62.5 mm)
Width 8.3 in (212 mm)
Depth 22.5 in (571.2 mm)
Product Weight 22.3 lb(US) (10.1 kg)
Mounting preference No preference

Output

Battery Capacity 2.47 Ah

Environmental

Ambient Air Temperature for Operation 32...122 °F (0...50 °C)
Operating altitude 0...9842.52 ft (0...3000 m)
Ambient Air Temperature for Storage -4...140 °F (-20...60 °C)
Storage altitude 0...49212.6 ft (0...15000 m)

Ordering and shipping details

GTIN 731304420484

Packing Units

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	6.1 in (15.5 cm)
Package 1 Width	11.0 in (27.9 cm)
Package 1 Length	28.8 in (73.1 cm)
Package weight(Lbs)	25.4 lb(US) (11.5 kg)

Contractual warranty

Warranty (in months)	60
-----------------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

Total lifecycle Carbon footprint	2 273 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	91 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	1 kg CO2 eq.
Carbon footprint of the installation phase [A5]	0 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	9 540 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	0.9 kg CO2 eq.
Environmental Disclosure	Product Environmental Profile

Use Better

Materials and Substances

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	Yes
SCIP Number	7a19864b-8bf5-40ac-85e8-7678b0910185
EU RoHS Directive	Compliant By Exemption
REACH Regulation	Reference contains Substances of Very High Concern above the threshold

Use Longer

Lifetime extension

Repair	No
--------	----

Use Again

Repack and remanufacture

Recyclability potential, in %	65
Circularity Profile	End of Life Information
Take-back	Yes
WEEE Label	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.

Image of product / Alternate images

Alternative

