

Product data sheet

Specifications



APC Smart-UPS Modular Ultra 15kW Frame, N+1 Redundant, Tower, 24U, 208/120V

SRYLF15T24

Overview

Lead time Usually in Stock

Main

Main Input Voltage	208 V AC
Product or Component Type	Frame
Main Output Voltage	240 V AC
Other Output Voltage	240 V
Battery Type	Li-Ion (Lithium Ion)
Range of Product	Smart-UPS Modular Ultra

General

product web sub-family	Network management card
Number of power module	2
Number preinstalled power module	2

Physical

color	Black and silver
Height	47.2 in (1198 mm)
Width	23.6 in (600 mm)
Depth	35.4 in (900 mm)
Product Weight	342.2 lb(US) (155.2 kg)
Mounting Mode	Rack-mounted with kit

Input

Input Frequency	40 - 70 Hz
Number of input connectors	1 Hard Wire 4-wire (2PH+N+G)
Maximum Input Current per Phase	51 A
Load power factor	0.5 leading to 0.5 lagging

Output

Topology	On-Line
Waveform Type	Sine wave
Overload Operation	60 seconds @ 125% and 30 seconds @ 150%

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Bypass type	Built-in Bypass
--------------------	-----------------

Ordering and shipping details

GTIN	731304622321
-------------	--------------

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	52.05 in (132.2 cm)
Package 1 Width	29.4 in (74.6 cm)
Package 1 Length	39.2 in (99.5 cm)
Package weight(Lbs)	353.45 lb(US) (160.32 kg)

Contractual warranty

Warranty (in months)	60
-----------------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better

Materials and Substances

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
SCIP Number	31346aed-552c-4a16-81d9-e683a383b6da
EU RoHS Directive	Compliant By Exemption
REACH Regulation	Reference contains Substances of Very High Concern above the threshold

Use Longer

Lifetime extension

Repair	No
--------	----

Use Again

Repack and remanufacture

Removable battery	User replaceable
Take-back	Yes