

# Product data sheet

Specifications



## APC Backplate Kit with 3x NEMA L5-30R Outlets for Smart-UPS Modular Ultra

SRYLPD3

### Overview

Lead time Usually in Stock

### Main

Product or Component Type PDU  
Input Connection Type NEMA  
output connection type 3 NEMA L5-30R  
Range of Product Smart-UPS Modular Ultra Accessories

### Physical

Height 3.2 in (82 mm)  
Width 10.4 in (263 mm)  
Depth 3.5 in (90 mm)  
Product Weight 2.4 lb(US) (1.1 kg)

### Ordering and shipping details

GTIN 731304420767

### Packing Units

Unit Type of Package 1 PCE  
Nbr. of units in pkg. 1  
Package 1 Height 5.5 in (14 cm)  
Package 1 Width 9.2 in (23.4 cm)  
Package 1 Length 10.6 in (26.8 cm)  
Package weight(Lbs) 2.9 lb(US) (1.3 kg)

### Contractual warranty

Warranty (in months) 60

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



### Environmental footprint

Total lifecycle Carbon footprint	27 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	5 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	0.1 kg CO2 eq.
Carbon footprint of the installation phase [A5]	0 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	9 540 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	0.2 kg CO2 eq.
Environmental Disclosure	<a href="#">Product Environmental Profile</a>

## Use Better



### Materials and Substances

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
SCIP Number	7a19864b-8bf5-40ac-85e8-7678b0910185
EU RoHS Directive	<a href="#">Compliant By Exemption</a>
REACH Regulation	<a href="#">Reference contains Substances of Very High Concern above the threshold</a>

## Use Longer



### Lifetime extension

Repair	No
--------	----

## Use Again



### Repack and remanufacture

Recyclability potential, in %	45
Circularity Profile	<a href="#">End of Life Information</a>
Take-back	Yes

Image of product / Alternate images

Alternative

---

