

Product data sheet

Specifications



APC Backplate Kit with 3x NEMA L6-30R Outlets for Smart-UPS Modular Ultra



SRYLPD5

Overview

Lead time Usually in Stock

Main

Product or Component Type	PDU
Input Connection Type	NEMA
output connection type	3 NEMA L6-30R
Range of Product	Smart-UPS Modular Ultra Accessories

Physical

Height	3.2 in (82 mm)
Width	10.4 in (263 mm)
Depth	3.5 in (90 mm)
Product Weight	2.6 lb(US) (1.2 kg)

Ordering and shipping details

GTIN 731304420781

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	5.5 in (14 cm)
Package 1 Width	9.2 in (23.4 cm)
Package 1 Length	10.6 in (26.8 cm)
Package weight(Lbs)	3.09 lb(US) (1.4 kg)

Contractual warranty

Warranty (in months) 60

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Total lifecycle Carbon footprint	29 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	5 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	0.1 kg CO2 eq.
Carbon footprint of the installation phase [A5]	0 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	9 540 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	0.2 kg CO2 eq.
Environmental Disclosure	Product Environmental Profile

Use Better



Materials and Substances

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
SCIP Number	7a19864b-8bf5-40ac-85e8-7678b0910185
EU RoHS Directive	Compliant By Exemption
REACH Regulation	Reference contains Substances of Very High Concern above the threshold

Use Longer



Lifetime extension

Repair	No
--------	----

Use Again



Repack and remanufacture

Recyclability potential, in %	45
Circularity Profile	End of Life Information
Take-back	Yes

Image of product / Alternate images

Alternative

