

Product data sheet

Specifications



APC Smart-UPS Modular Ultra External Battery Pack with 4 Battery Modules Rackmount

SRYLRMXBP

Overview

Lead time Usually in Stock

Main

Product or Component Type External battery pack
Number of rack unit 3U
Battery Type Li-Ion (Lithium Ion)
Range of Product Smart-UPS Modular Ultra Accessories

Batteries & Runtime

Battery Placement External Frame
Battery Slots Empty 0
Included Battery Modules 4
Device mounting Built-in
Battery Voltage 180 V

Physical

Height 5.1 in (130 mm)
Width 17.3 in (440 mm)
Depth 29.1 in (740 mm)
Product Weight 132.3 lb(US) (60 kg)

Output

Battery Capacity 16 Ah

Environmental

Ambient Air Temperature for Operation 32...122 °F (0...50 °C)
Operating altitude 0...9842.52 ft (0...3000 m)
Ambient Air Temperature for Storage -4...140 °F (-20...60 °C)
Storage altitude 0...49212.6 ft (0...15000 m)

Ordering and shipping details

GTIN 731304420859

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	11.8 in (30 cm)
Package 1 Width	23.6 in (60 cm)
Package 1 Length	39.4 in (100 cm)
Package weight(Lbs)	60.2 lb(US) (27.3 kg)

Contractual warranty

Warranty (in months)	60
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Total lifecycle Carbon footprint	251 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	126 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	8 kg CO2 eq.
Carbon footprint of the installation phase [A5]	10 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	95 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	12 kg CO2 eq.

Use Better



Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Compliant By Exemption
REACH Regulation	Reference contains Substances of Very High Concern above the threshold

Use Longer



Lifetime extension

Repair	No
--------	----

Use Again



Repack and remanufacture

Recyclability potential, in %	48
Circularity Profile	End of Life Information
Removable battery	User replaceable
Take-back	Yes

Image of product / Alternate images

Alternative



