

# Product data sheet

Specifications



## APC Smart-UPS XL Battery Pack Tower/Rack Convertible 48V, rackmount with kit, 5U

SUA48XLBP

### Overview

Lead time Usually Ships within 2 Weeks

### Main

Main Input Voltage	48 V DC
Product or Component Type	External battery pack
Number of rack unit	5U
Number of cables	1
Battery Type	Lead-Acid battery
Provided equipment	User Manual
Range of Product	Smart-UPS Battery Systems
Replacement battery	<a href="#">RBC55</a>

### Batteries & Runtime

Included Battery Modules	0
Battery Slots Empty	0
RBC Quantity	2
Additional information	For use with "SUA" 2200/3000VA 5U rack/tower models. Can be used with 3U models with SUA039 extension cable.

### Physical

color	Black
Height	17.5 in (444 mm)
Width	8.7 in (221 mm)
Depth	19.5 in (495 mm)
Product Weight	146.30 lb(US) (66.36 kg)
Mounting preference	No preference
Mounting Mode	Rack-mounted with kit
USB compatible	No

### Output

Topology Line Interactive

### Environmental

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

<b>Ambient Air Temperature for Operation</b>	32...104 °F (0...40 °C)
<b>Relative Humidity</b>	0...95 %
<b>Operating altitude</b>	0...10000 ft
<b>Ambient Air Temperature for Storage</b>	5...113 °F (-15...45 °C)
<b>Storage Relative Humidity</b>	0...95 %
<b>Storage altitude</b>	0...50000 ft (0...15240 m)

## Ordering and shipping details

<b>GTIN</b>	731304244301
<b>Country of origin</b>	PH

## Packing Units

<b>Unit Type of Package 1</b>	PCE
<b>Nbr. of units in pkg.</b>	1
<b>Package 1 Height</b>	20.472 in (52.000 cm)
<b>Package 1 Width</b>	23.622 in (60.000 cm)
<b>Package 1 Length</b>	30.315 in (77.000 cm)
<b>Package weight(Lbs)</b>	178.575 lb(US) (81.000 kg)

## Contractual warranty

<b>Warranty (in months)</b>	24
-----------------------------	----



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



### Environmental footprint

Total lifecycle Carbon footprint	348 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	281 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	19 kg CO2 eq.
Carbon footprint of the installation phase [A5]	21 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	283 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	27 kg CO2 eq.

## Use Better



### Materials and Substances

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
SCIP Number	080b8d64-796e-42e7-a17d-31b86e55d143
EU RoHS Directive	<a href="#">Compliant</a>
REACH Regulation	<a href="#">Reference contains Substances of Very High Concern above the threshold</a>

## Use Longer



### Lifetime extension

Repair	No
--------	----

## Use Again



### Repack and remanufacture

Recyclability potential, in %	48
Circularity Profile	<a href="#">End of Life Information</a>
Removable battery	User replaceable
Take-back	Yes

Image of product / Alternate images

Alternative

---

