

# Product data sheet

Specifications



## APC Symmetra LX Extended Run Rack-mount w/ 9 SYBT5, 208V

SYARMXR9B9

### Overview

Presentation	Extended run power protection for servers, networks, and telecommunications
Lead time	Usually in Stock

### Main

Product or Component Type	Battery accessory
Number of rack unit	13U
Number of cables	1
Battery Type	Lead-Acid battery
Provided Equipment	Installation guide User Manual
Range of Product	Symmetra Battery Systems

### Batteries & Runtime

Battery Placement	Battery Cabinet
Battery Slots Empty	0
Included Battery Modules	9
Battery manufacturer	Panasonic
Device mounting	Enclosed battery cabinet
RBC Quantity	9

### Physical

Color	Black
Height	22.5 in (572 mm)
Width	19.02 in (483 mm)
Depth	27.008 in (686 mm)
Product Weight	688.00 lb(US) (312.07 kg)
Mounting Mode	Rack-mounted

### Conformance

Standards	UL 1778
Product Certifications	CSA

### Environmental

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

<b>Ambient Air Temperature for Operation</b>	32...104 °F (0...40 °C)
<b>Operating altitude</b>	0...10000 ft
<b>Relative Humidity</b>	0...95 %
<b>Ambient Air Temperature for Storage</b>	5...113 °F (-15...45 °C)
<b>Storage altitude</b>	0...15000 ft (0...4572 m)
<b>Storage Relative Humidity</b>	0...95 %

## Ordering and shipping details

<b>GTIN</b>	731304740056
-------------	--------------

## Packing Units

<b>Unit Type of Package 1</b>	PCE
<b>Nbr. of units in pkg.</b>	1
<b>Package 1 Height</b>	31.0 in (78.7 cm)
<b>Package 1 Width</b>	39.3 in (99.7 cm)
<b>Package 1 Length</b>	23.6 in (59.9 cm)
<b>Package weight(Lbs)</b>	800.68 lb(US) (363.18 kg)

## Contractual warranty

<b>Warranty (in months)</b>	24
-----------------------------	----



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



### Environmental footprint

Total lifecycle Carbon footprint	65 188 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	4 959 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	48 kg CO2 eq.
Carbon footprint of the installation phase [A5]	46 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	0 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	125 kg CO2 eq.

## Use Better



### Materials and Substances

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	<a href="#">Compliant By Exemption</a>
REACH Regulation	<a href="#">Reference contains Substances of Very High Concern above the threshold</a>
California proposition 65	<b>WARNING:</b> This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a>

## Use Longer



### Lifetime extension

Repair	No
--------	----

## Use Again



### Repack and remanufacture


Recyclability potential, in %	66
Circularity Profile	<a href="#">End of Life Information</a>
Removable battery	User replaceable
Take-back	Yes
WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.

Image of product / Alternate images

Alternative

---





