

# Product data sheet

Specifications



## High Performance Long Life 10 Yrs Battery Module for Symmetra PX 48/96/160KW

SYBT9-B4LL

### Overview

Lead time Usually in Stock

### Main

Battery Type VRLA

Provided Equipment Installation guide

### Batteries & Runtime

Battery Placement Internal Battery

Battery blocks per string 4

Battery Voltage 384 V

Battery Volt-Amp-Hour Capacity 3456 VAh

### Physical

Height 6.3 in (15.9 cm)

Width 16.9 in (42.8 cm)

Depth 27.6 in (70 cm)

Product Weight 221.45 lb(US) (100.45 kg)

### Conformance

Standards UL 1778

Product Certifications CE  
Eurobat General Purpose

### Environmental

Ambient Air Temperature for Operation 64...81 °F (18...27 °C)

Operating altitude 0...3333 ft

Relative Humidity 0...95 %

Ambient Air Temperature for Storage 5...104 °F (-15...40 °C)

Storage altitude 0...50000 ft (0...15240 m)

Storage Relative Humidity 0...95 %

### Ordering and shipping details

GTIN 3606487263371

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

# Packing Units

<b>Unit Type of Package 1</b>	PCE
<b>Nbr. of units in pkg.</b>	1
<b>Package 1 Height</b>	7.09 in (18 cm)
<b>Package 1 Width</b>	31.9 in (81 cm)
<b>Package 1 Length</b>	23.6 in (60 cm)
<b>Package weight(Lbs)</b>	236.8 lb(US) (107.4 kg)



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



### Environmental footprint

Total lifecycle Carbon footprint	0 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	0 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	0 kg CO2 eq.
Carbon footprint of the installation phase [A5]	0 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	0 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	0 kg CO2 eq.
Environmental Disclosure	<a href="#">Product Environmental Profile</a>

### Use Better



### Materials and Substances

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
SCIP Number	5ac12844-46eb-471b-94f1-318e06a714a6
EU RoHS Directive	<a href="#">Compliant</a>
REACH Regulation	<a href="#">Reference contains Substances of Very High Concern above the threshold</a>

### Use Longer




### Lifetime extension

Repair	No
--------	----

### Use Again



### Repack and remanufacture

Take-back	No
WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.