

# Product data sheet

Specifications

## High Performance Long Life 10 Yrs Battery Module for Symmetra PX 250/500kW



SYBT9-B6LL

⚠ End-of-service on: Jan 20, 2026

⚠ Discontinued

### Overview

Lead time Usually in Stock

### Main

Battery Type VRLA  
Provided Equipment Installation guide

### Batteries & Runtime

Battery Placement Internal Battery  
Battery blocks per string 6  
Device mounting Enclosed battery cartridge  
Battery Voltage 384 V  
Battery Volt-Amp-Hour Capacity 5184 VAh

### Physical

Height 6.3 in (15.9 cm)  
Width 4.2 in (10.7 cm)  
Depth 27.6 in (70 cm)  
Product Weight 337.3 lb(US) (153 kg)

### Conformance

Product Certifications cUL Listed  
Eurobat General Purpose  
UL Listed  
VDE

### Environmental

Ambient Air Temperature for Operation 64...81 °F (18...27 °C)  
Operating altitude 0...3333 ft  
Relative Humidity 0...95 %  
Ambient Air Temperature for Storage 5...104 °F (-15...40 °C)  
Storage altitude 0...50000 ft (0...15240 m)  
Storage Relative Humidity 0...95 %

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

# Ordering and shipping details

---

GTIN 3606487263388

## Packing Units

---

|                        |                           |
|------------------------|---------------------------|
| Unit Type of Package 1 | PCE                       |
| Nbr. of units in pkg.  | 1                         |
| Package 1 Height       | 7.09 in (18 cm)           |
| Package 1 Width        | 31.9 in (81 cm)           |
| Package 1 Length       | 25.5 in (64.8 cm)         |
| Package weight(Lbs)    | 354.75 lb(US) (160.91 kg) |



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



### Environmental footprint

|  |   |
|--|---|
| Total lifecycle Carbon footprint                       | 0 kg CO2 eq.                                  |
| Carbon footprint of the manufacturing phase [A1 to A3] | 0 kg CO2 eq.                                  |
| Carbon footprint of the distribution phase [A4]        | 0 kg CO2 eq.                                  |
| Carbon footprint of the installation phase [A5]        | 0 kg CO2 eq.                                  |
| Carbon footprint of the use phase [B2, B3, B4, B6]     | 0 kg CO2 eq.                                  |
| Carbon footprint of the end-of-life phase [C1 to C4]   | 0 kg CO2 eq.                                  |
| Environmental Disclosure                               | <a href="#">Product Environmental Profile</a> |

### Use Better



### Materials and Substances

|  |  |
|--|--|
| Packaging made with recycled cardboard | Yes  |
| Packaging without single use plastic   | No   |
| SCIP Number                            | 5ac12844-46eb-471b-94f1-318e06a714a6   |
| EU RoHS Directive                      | <a href="#">Compliant</a>  |
| REACH Regulation                       | <a href="#">Reference contains Substances of Very High Concern above the threshold</a> |

### Use Longer




### Lifetime extension

|        |    |
|--------|----|
| Repair | No |
|--------|----|

### Use Again



### Repack and remanufacture

|            |  |
|------------|--|
| Take-back  | No   |
| WEEE Label |  The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins. |