


Product data sheet

Specifications



APC Symmetra Communications Card

SYCC

Overview

Presentation	Accessory solutions to tailor the Symmetra to meet your specific needs
Lead time	Usually in Stock

Main

Main Input Voltage	12 V DC
Product or Component Type	Communication module
Main Output Voltage	12 V DC
Range of Product	Symmetra Accessories

Batteries & Runtime

Included Battery Modules	0
Battery Slots Empty	0

Physical

Height	1.5 in (38 mm)
Width	4.3 in (108 mm)
Depth	10.7 in (273 mm)
Product Weight	0.35 lb(US) (0.16 kg)
Mounting preference	No preference
USB compatible	No

Ordering and shipping details

GTIN	731304007562
------	--------------

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	4.5 in (11.4 cm)
Package 1 Width	12.8 in (32.4 cm)
Package 1 Length	8.5 in (21.6 cm)
Package weight(Lbs)	1.26 lb(US) (0.57 kg)

Contractual warranty

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Total lifecycle Carbon footprint	0.6 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	0.5 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	0 kg CO2 eq.
Carbon footprint of the installation phase [A5]	0 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	9 540 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	0 kg CO2 eq.
Environmental Disclosure	Product Environmental Profile

Use Better



Materials and Substances

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Compliant By Exemption
REACH Regulation	Reference contains Substances of Very High Concern above the threshold

Use Longer



Lifetime extension

Repair	No
--------	----

Use Again



Repack and remanufacture

Recyclability potential, in %	66
Take-back	Yes
WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.