

# Product data sheet

Specifications



## Symmetra PX 500kW Battery Breaker Enclosure Fuse Kit 1000A

SYOPT004

⚠ Discontinued on: Jan 21, 2026

⚠ To be end-of-service on: Dec 31, 2035

⚠ Discontinued - Service only

### Overview

Lead time Usually Ships within 6 Weeks

### Main

Provided Equipment User Manual

### Physical

Height 14.6 in (37 cm)

Width 11.4 in (29 cm)

Depth 7.5 in (19 cm)

Product Weight 18.7 lb(US) (8.5 kg)

### Conformance

Product Certifications  
CE  
UL Listed  
VDE

### Environmental

Ambient Air Temperature for Operation 32...104 °F (0...40 °C)

Ambient Air Temperature for Storage 5...104 °F (-15...40 °C)

### Ordering and shipping details

GTIN 731304267294

### Packing Units

Unit Type of Package 1 PCE

Nbr. of units in pkg. 1

Package 1 Height 15.4 in (39 cm)

Package 1 Width 8.3 in (21 cm)

Package 1 Length 12.2 in (31 cm)

Package weight(Lbs) 21.05 lb(US) (9.55 kg)

### Contractual warranty

Warranty (in months) 12

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Use Better



#### Materials and Substances

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
SCIP Number	F4c2965e-f80d-4830-8cd4-be926afb0f45
REACH Regulation	<a href="#">Reference contains Substances of Very High Concern above the threshold</a>

### Use Longer



#### Lifetime extension

Repair	No
--------	----

### Use Again



#### Repack and remanufacture


Take-back	No
WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.

Image of product / Alternate images

Alternative

---

