

Product data sheet

Specifications



APC Symmetra RM XR Frame w/2 SYBT2 Scalable to 4 208/240V

SYRMXR2B4

Overview

Lead time Usually in Stock

Main

Product or Component Type	Frame
Number of rack unit	4U
Number of cables	1
Battery Type	Lead-Acid battery
Provided Equipment	Rack Mounting brackets User Manual
Range of Product	Symmetra Battery Systems

Batteries & Runtime

Battery Placement	External Frame
Battery Slots Empty	2
Included Battery Modules	2
Device mounting	Enclosed battery cabinet
RBC Quantity	2

Physical

Color	Black
Height	7.008 in (178 mm)
Width	19.02 in (483 mm)
Depth	25.2 in (640 mm)
Product Weight	144.29 lb(US) (65.45 kg)
Mounting Mode	Rack-mounted

Environmental

Ambient Air Temperature for Operation	32...104 °F (0...40 °C)
Operating altitude	0...10000 ft
Relative Humidity	0...95 %
Ambient Air Temperature for Storage	-67...140 °F (-55...60 °C)
Storage altitude	0...50000 ft (0...15240 m)
Storage Relative Humidity	0...95 %

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Ordering and shipping details

GTIN 731304740315

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	13.5 in (34.3 cm)
Package 1 Width	32.008 in (81.3 cm)
Package 1 Length	23.0 in (58.4 cm)
Package weight(Lbs)	165.3 lb(US) (75 kg)

Contractual warranty

Warranty (in months) 24



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Total lifecycle Carbon footprint	263 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	251 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	6 kg CO2 eq.
Carbon footprint of the installation phase [A5]	0 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	0 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	6 kg CO2 eq.
Environmental Disclosure	Product Environmental Profile

Use Better



Materials and Substances

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Compliant
REACH Regulation	Free of Substances of Very High Concern above the threshold

Use Longer



Lifetime extension

Repair	No
--------	----

Use Again



Repack and remanufacture

Recyclability potential, in %	95
Circularity Profile	No need of specific recycling operations
Removable battery	User replaceable
Take-back	Yes