

# Product data sheet

Specifications



## APC Symmetra RM XR Frame 208/240V

SYRMXR4

### Overview

Lead time Usually in Stock

### Main

Main Input Voltage	120 V
Product or Component Type	Frame
Number of rack unit	4U
Number of cables	1
Battery Type	VRLA
Provided Equipment	Rack Mounting support rails
Range of Product	Symmetra Battery Systems

### Batteries & Runtime

Battery Placement	Battery Cabinet
Battery Slots Empty	4
Included Battery Modules	0
Battery manufacturer	Panasonic
Battery Voltage	120 V
RBC Quantity	4

### Physical

Color	Black
Height	7.008 in (178 mm)
Width	19.02 in (483 mm)
Depth	25.2 in (640 mm)
Product Weight	46.10 lb(US) (20.91 kg)
Mounting Mode	Rack-mounted
USB compatible	No

### Conformance

Standards UL 1778

### Environmental

Ambient Air Temperature for Operation 32...104 °F (0...40 °C)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

<b>Operating altitude</b>	0...10000 ft
<b>Relative Humidity</b>	0...95 %
<b>Ambient Air Temperature for Storage</b>	32...104 °F (0...40 °C)
<b>Storage altitude</b>	0...50000 ft (0...15240 m)
<b>Storage Relative Humidity</b>	0...95 %

## Ordering and shipping details

<b>GTIN</b>	731304098850
-------------	--------------

## Packing Units

<b>Unit Type of Package 1</b>	PCE
<b>Nbr. of units in pkg.</b>	1
<b>Package 1 Height</b>	13.5 in (34.3 cm)
<b>Package 1 Width</b>	32.008 in (81.3 cm)
<b>Package 1 Length</b>	23.0 in (58.4 cm)
<b>Package weight(Lbs)</b>	67.13 lb(US) (30.45 kg)

## Contractual warranty

<b>Warranty (in months)</b>	24
-----------------------------	----



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



### Environmental footprint

Total lifecycle Carbon footprint	92 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	88 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	2 kg CO2 eq.
Carbon footprint of the installation phase [A5]	0 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	0 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	2 kg CO2 eq.
Environmental Disclosure	<a href="#">Product Environmental Profile</a>

## Use Better



### Materials and Substances

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	<a href="#">Compliant</a>
REACH Regulation	<a href="#">Free of Substances of Very High Concern above the threshold</a>

## Use Longer



### Lifetime extension

Repair	No
--------	----

## Use Again



### Repack and remanufacture

Circularity Profile	No need of specific recycling operations
Take-back	Yes