

Product data sheet

Specifications



SYMMETRA XR BATT COMM Card



SYXGCC

Overview

Presentation	Accessory solutions to tailor the Symmetra to meet your specific needs
Lead time	Usually in Stock

Main

Main Input Voltage	48 V DC
Product or Component Type	Communication module
Main Output Voltage	48 V DC
Range of Product	Symmetra Accessories

Batteries & Runtime

Included Battery Modules	0
Battery Slots Empty	0

Physical

Height	1.5 in (38 mm)
Width	4.3 in (108 mm)
Depth	10.7 in (273 mm)
Product Weight	0.35 lb(US) (0.16 kg)
Mounting Location	Front
Mounting preference	No preference
USB compatible	No

Ordering and shipping details

GTIN	731304007593
------	--------------

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	4.5 in (11.4 cm)
Package 1 Width	12.8 in (32.4 cm)
Package 1 Length	8.5 in (21.6 cm)
Package weight(Lbs)	1.26 lb(US) (0.57 kg)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Contractual warranty

Warranty (in months)

12



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better



Materials and Substances

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
SCIP Number	422663a7-baeb-4cb7-bbc6-b99e5d0c5821
EU RoHS Directive	Compliant By Exemption
REACH Regulation	Reference contains Substances of Very High Concern above the threshold

Use Longer




Lifetime extension

Repair	No
--------	----

Use Again



Repack and remanufacture

Take-back	Yes
WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.