


Product data sheet

Specifications



SmartUPS Industrial Battery Harness SBS75 Cabinet Accessory 12 ft

XHXXS7A8F

Overview

Lead time Usually in Stock

Main

Product or Component Type Battery accessory

Provided Equipment Installation guide

Physical

Height 1.0 in (25 mm)

Width 144.09 in (3660 mm)

Depth 1.0 in (25 mm)

Product Weight 7.3 lb(US) (3.3 kg)

Mounting Mode Not rack-mountable

Environmental

Ambient Air Temperature for Operation -35...165 °F (-37...74 °C)

Relative Humidity 0...95 % non-condensing

Operating altitude 0...3000 ft

Ambient Air Temperature for Storage 5...113 °F (-15...45 °C)

Storage Relative Humidity 0...95 % non-condensing

Storage altitude 0...50000 ft (0...15240 m)

Ordering and shipping details

GTIN 731304345497

Packing Units

Unit Type of Package 1 PCE

Nbr. of units in pkg. 1

Package 1 Height 6.9 in (17.5 cm)

Package 1 Width 11.8 in (30 cm)

Package 1 Length 14.6 in (37 cm)

Package weight(Lbs) 9.04 lb(US) (4.1 kg)

Contractual warranty

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Total lifecycle Carbon footprint	810 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	32 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	0.4 kg CO2 eq.
Carbon footprint of the installation phase [A5]	0 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	3 913 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	0.3 kg CO2 eq.
Environmental Disclosure	Product Environmental Profile

Use Better



Materials and Substances

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Compliant By Exemption
REACH Regulation	Free of Substances of Very High Concern above the threshold

Use Longer



Lifetime extension

Repair	No
--------	----

Use Again



Repack and remanufacture

Recyclability potential, in %	65
Circularity Profile	End of Life Information
Removable battery	User replaceable
Take-back	Yes
WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.