F

DATA SHEET

FortiAl SUB-SECOND INVESTIGATION WITH VIRTUAL SECURITY ANALYST™

FortiAI-3500F and FortiAI-VM Series

FortiAl represents the future of Al-driven breach protection technology, designed for short-staffed Security Operation Center (SOC) teams to defend against various threats including advanced persistent threats through a trained **Virtual Security Analyst**[™] that helps you identify, classify, and respond to malware including those well-camouflaged. FortiAl employs patent-pending* **Deep Neural Networks based on Advanced Al and Artifical Neural Network** to provide sub-second investigation by harnessing deep learning technologies to assist you in an automated response to remediate different breeds of synthesized Al and non-Al-based threats. Based on several years of FortiGuard Labs research, FortiAl reduces the "time to detect and respond" significantly to protect your organization. "Patent pending #US.16/053,479



BIGGEST SOC CHALLENGES



AI-Powered Cyber Attacks

Innovative threat actrors disrupt cybersecurity through automated attacks designed to overwhelm or sneak past your SOC defenses



Digital Transformation

As organizations embrace various digital transformation initiatives, this creates burden for SecOps to identify new breeds of threats in an expanded environment



Masqueraded Malware

Carefully crafted cyber threats designed to bypass your existing security controls through the camouflage of malware behaviors

Shortage of Experience is the ha

Shortage of Experienced SOC Analysts

Experience is the hardest thing to acquire in cyber security, especially in threat analysis, investigation and malware research experience

Key Features

- Virtual Security Analyst[™] powered by a Deep Neural Networks AI model that augments your organizations' Security Operations (SecOps) by mimicking an experienced Security Analyst to investigate threats and surface malware outbreaks
- Reduces malware detection and investigation time from minutes to sub-seconds
- Mature AI that applies 6+ million malware features to achieve sub-second verdicts for day-1 deployment with the capability to learn new features
- On-premise Learning to reduce false positives by analyzing an organization's specific traffic and adapting to newly disguised threats
- Scientifically analyze known and unknown file and fileless threats and classifies them into 20+ malware attack scenarios
- Integration into Fortinet's Security Fabric by integrating with FortiGates to automatically quarantine attacks

HIGHLIGHTS

The State of the Art - Artificial Neural Network (ANN)

- The state of the art ANN is pre-trained in FortiGuard labs with 20mil+ clean and malicious files and further learning is done on premise; updates of the ANN model are available from FortiGuard network to ensure customers are protected against the latest threats
- Responsible for classifying malware types into 20+ attack scenarios and Al-based engine for tracing source of attacks, emulating how a human brain operates
- Al-driven breach protection with multi-task threat learning framework to incorporate complex security needs into a single high-performance network security appliance
- Using Machine Learning and Neural Network technology, the Multilayer Detection approach provides deep machine learning capabilities before post infection damages are caused by the modern day Al-powered cyber attacks
- Pre-trained in FortiGuard labs with millions of known clean and malicious samples forming billions of clean and malicious features, which is used to scientifically decide malware and attack type specific to your organizations' security environment

Virtual Security Analyst™

Responsibilities include:

- Identifying and Classifying Attack Scenarios determines malware attack scenarios with chain-on-infection with big picture analysis
- Investigating the Source of Attack tracking the original source of infection with timestamp
- Emulating as a FortiGuard Malware Analyst scientifically determine the type of malware based on an evolving Neural Networks that constantly learns and matures over time and experience
- Outbreak Search searches networks for traces of malware outbreaks based on hashes and similar variants on network



6 Million+ Nodes

99.9%

Detection Rate*

Sub-Second Investigation

<100 ms

10G

200 Billion

Network Throughput

Exposed Features

20+

Attack Scenarios

*Measured by Breaking Point malware strike pack

Tracing the Source of a Worm Attack



PRODUCT FEATURES

Core Engine

- Patent-pending malware analysis with multiple artificial neural networks
- Pre-trained with millions of malware features
- Scenario-based engine to locate patient zero
- Outbreak search engine (hash, virus family)

File Types and Protocols

- 32bit and 64bit Portable Executables (PE) files, including DLLs, and self-extracting ZIP files
- Web based / text traffic such as HTML, Javascripts, VBS, VBA, Office documents and PDFs
- Sniffer: HTTP, SMBv2
 With FortiGates: HTTP, HTTPS (with SSL decryption), SMTP, POP3, IMAP, MAPI, and FTP
- Manual/REST API upload: .tar, .gz, .tar.gz, .zip, .bz2, and .rar

Deployment Modes

- Standalone: Sniffer mode, Manual upload, and API submission
- Integrated: FortiGates

Others

- Log and Report: MD5/SHA hashes, source/destination IP addresses, URLs, VDOM and timestamps
- Networking: Static route and IPv4 support
- Systems: Role based Administration Support (RBAC)



DEPLOYMENT

Malware Classification

 Al-driven Security Attack Scenarios: Industroyer, Wiper, Downloader, Redirector, Dropper, Ransomware, Worm, Password Stealer, Rootkit, Banking Trojan, InfoStealer, Exploit, Clicker, Virus, Application, CoinMiner, DoS, BackDoor, WebShell, Search Engine Poisoning, Proxy, Trojan, Phishing, Fileless and more



Specifications

	FORTIAI-3500F		
Hardware Specifications			
Form Factor	2 RU Rackmount		
Total Interfaces	2 x 10GE RJ45 (10/100/1000), 1 x GE RJ45 IPMI, 1 x RJ45 Console		
Storage Canacity	2 x 3.84TB SSD, Total 7.68TB		
Default RAID level (RAID software)	1		
Removable Hard Drives	S		
Redundant Hot Swappable Power Supplies	S		
Custom GPUs for ANN Acceleration	S		
System Performance			
Throughput (files per hour) ¹	100,000		
Sub-second verdicts	S		
Sniffer Throughput	Line rate 10G		
Dimensions			
Height x Width x Length (inches)	3.41in x 18.98in (w/ handle) x 29.58in (w/ bezel), 3.41in x 17.09in (w/o handle) x 29.04in (w/o bezel)		
Height x Width x Length (mm)	86.8mm x 482mm (w/ handle) x 751.34mm (w/ bezel), 86.8mm x 434mm (w/o handle) x 737.5mm (w/o bezel)		
Weight	68.34lbs (31kg)		
Environment			
AC Power Supply	100-240 VAC, 60-50 Hz		
Power Consumption (Average / Maximum)	1390W / 1668W		
Heat Dissipation	6824 BTU/h		
Operating Temperature	10°C to 35°C (50°F to 95°F) with no direct sunlight		
Storage Temperature	-40°C to 65°C (-40°E to 149°E)		
Humidity	Storage: 5% to 95% RH with 33°C (91°F) maximum		
	dew point. Atmosphere must be non-condensing at al times. Operation: 10% to 80% relative humidity with 29°C (84.2°F)		
Operating Altitude	Up to 7,400 ft (2,250 m)		
Compliance			
Safety Certifications	FCC Part 15 Class A, RCM, VCCI, CE, UL/cUL, CB		

¹ Combined real-world throughput based on 70/30 Non-PE/PE files

	FORTIAI-VM16	FORTIAI-VM32
Technical Specifications		
vCPU Support (Recommended)	16	32
Memory Support (Minimum / Recommended)	128GB /	256GB
Recommended Storage	1TB to 8TB	
Default RAID level (RAID software)	Hypervisor Hard	ware Dependent

System Performance		
Throughput (files per hour) ²	14,000	22,000
Sub-second verdicts	S	S
Sniffer Throughput	Hypervisor Hardware Dependent	
Hypervisor Support	ESXi 6.7 U2+	

FortiAI-3500F Front



FortiAI-3500F Rear



² Throughput in both the FAI-3500F device and VM

Order Information

Product	SKU	Description
FortiAl 3500F	FAI-3500F	FortiAI-3500F appliance for Oday/Malware Detection, based on Artificial Neural Network (ANN) technology. 2 x 10Gb GE Copper (supports 10/1000/10000 without transceivers) Note: FAI-3500F ships with 2 x 3.84TB SSD by default
FortiAI-3500F Hardware Bundle	FAI-3500F-BDL-228-DD	FortiAI-3500F bundle - Hardware plus 24x7 FortiCare and FortiGuard Neural Networks engine updates & baseline
FortiAI-VM Subscription License with Bundle	FC3-10-AIVMS-238-02-DD	Subscriptions license for FortiAl-VM (16 CPU) with 24x7 FortiCare plus FortiGuard Neural Networks engine updates & baseline
	FC4-10-AIVMS-238-02-DD	Subscriptions license for FortiAI-VM (32 CPU) with 24x7 FortiCare plus FortiGuard Neural Networks engine updates & baseline
FortiCare and Updates	FC-10-Al3K5-228-02-DD	24x7 FortiCare plus FortiGuard Neural Networks engine updates & baseline
3.84TB 2.5" SATA SSD with Tray	SP-DFAI-3T	3.84TB 2.5" SATA SSD with tray for FAI-3500F

FERTINET

www.fortinet.com

Copyright © 2020 Fortinet, Inc. All rights reserved. Fortinet®, FortiGate®, FortiGate®, FortiGate®, and FortiGuard®, and certain other marks are registered trademarks of Fortinet, Inc., and other Fortinet names herein may also be registered and/or common law trademarks of Fortinet. All other product or company names may be trademarks of their respective owners. Performance and other metrics contained herein were attained in internal lab tests under ideal conditions, and actual performance and other results may vary. Network variables, different network environments and other conditions may affect performance results. Nothing herein represents any binding commitment by Fortinet, and Fortinet disclaims all warranties, whether express or implied, except to the extent Fortinet enters a binding written contract, signal be binding written contract shall be binding on Fortinet. For absolute clarity, any such warrants will be limited to performance in the same ideal conditions as in Fortinet alla be tests. Fortinet disclaims in full any covenants, representations, and guarantees pursuant hereto, whether express or implied. Fortinet express or implied. Fortinet respress or implied, screent to other with under the identified in such and the covent, only the specific performance metrics expressivations, in guarantees pursuant hereto, whether express or implied. Fortinet respress respressivation without notice, and the most current version of the publication shall be applicable. FST-PROD-DS-FAI

FAI-DAT-R2-202006