SAMSUNG

470/570 SERIES HOSPITALITY TVs

A PREMIUM LED EXPERIENCE FROM THE LED INDUSTRY LEADER.

22" Class LED 32" Class LED 39" Class LED 40" Class LED 46" Class LED HG22NA470BF HG32NA470GF HG39NA570CF HG40NA570LF HG46NA570LB



HOSPITALITY TV SALES: 1-888-727-2664 | 1-866-SAM4BIZ samsung.com/business samsung.com/hospitality

FOLLOW US: youtube.com/samsungbizusa SamsungBizUSA

KEY FEATURES



Slim Direct-Lit LED Technology

Direct-lit LED technology provides the brilliance and energy savings advantages of LED technology, along with the uniform brightness typical of CCFL displays. And it does it all with an efficiency that makes it a more affordable technology. In fact, it's possible to upgrade your rooms to LED technology for a cost comparable to CCFL technology.



Samsung LYNK[™] REACH Content

Management Solution

The Samsung REACH (Remote Enhanced Active Control for Hotels) Management Solution is used in conjunction with an existing coaxial-based infrastructure. It provides centralized TV controls, basic static content management capabilities and an Interactive Program Guide (IPG). Property management will be able to easily update and change information using a Windows-based system.



Samsung LYNK[™] HD Content Decryption DRM

Samsung's software-based DRM technology is integrated into the entire Samsung 2014 Hotel TV line. Samsung LYNK[™] offers a robust solution to unlock premium HDTV content from content providers such as cable, satellite and VOD providers, with maximum efficiency and security.



A Host of Features

Features include: Volume Limiters, Front Panel Lock-out, Menu Display Lock-out, Hotel Custom Logo/Welcome Message, Channel List Guide, Channel Re-mapping, Remote Jack Pack (RJP) Priority, USB Cloning and Anti-Theft Battery Cover Remote Control. Display pedestal stand rotates 90° in both directions with optional 20, 60 and 90 degree stops—only on 32", 39", 40" and 46" models integrated in lockdown mount base.

SLIM, AFFORDABLE AND ABLE TO DELIVER A PREMIUM AT-HOME, IN-ROOM EXPERIENCE

With the Samsung 470 / 570 Series Hospitality TVs, the leading LED panel manufacturer in the world allows you to deliver a premium experience to your guests, while still being budget-conscious. The 470 / 570 Series features direct-lit LED technology, to deliver all the benefits of LED, while doing it more affordably. You get big, bright, beautiful pictures, while cost of entry is similar to that of a traditional CCFL back-lit option. LED uses up to 50% less energy, too, helping you conserve and save money. Content management is made simple with the Samsung REACH management solution. Samsung's LYNK[™] DRM technology protects content, while offering guests a seamless viewing experience. It's the platform that delivers an at-home, in-room experience. And it's from Samsung.

Samsung 470/570 Series Hospitality TVs

Samsung Hospitality TVs are loaded with features that provide premier guest satisfaction, while making your job easier.

HOSPITALITY FEATURES

Hotel Mode Plug & Play

Interactive and stand alone.

USB Cloning

A quick and easy way to copy the ideal settings of television to others on the property. Saves time and helps provide a consistent viewing experience for all televisions.

Hotel Channel List

Guest master channel listing of program content. This will display content in analog or HD.

Hotel TV (RJ-12/IR Pass Through)

Connecting Interactive STB/SBD (Set Top/Back Box).

Hotel Logo Display with Time Out Setting

Display hotel logo bitmap files as a greeting startup display.

Samsung LYNK[™] REACH

Used with coaxial-based solution designed to provide centralized TV controls, basic static content management capabilities and Interactive Program Guide (IPG). The Hotel Guest, in a (free-to-guest) hotel can experience picture and content such as: hotel information, local and in-room dining, spa, meeting and events, local attractions and other simple guest convenience features. Property management will be able to update and change information on an easy Windows-based system.

Power On Status Setting

Power always on, last option or standby.

Anti-Theft Battery Cover

Battery door is secured, helping to always keep batteries in the remote controller.

Auto Channel Search

Auto detect channel while in hotel mode.

Multi-code Remote

Eliminates interference when two or more TVs are used in close proximity.

Energy Saving Mode (BLU Control)

Samsung's range of energy-efficient LED TVs is setting the standard when it comes to saving energy and reducing costs. Samsung Hospitality Displays are a cost-effective business solution due to their energy-efficient features and ability to decrease maintenance and management oversight.

Our Hospitality Displays offer a number of energy-efficient advantages that are designed to lower power usage and your overall energy bill. This means a 46" Samsung LED TV consumes the same amount of energy as a conventional 32" LCD TV. What's more, LED TVs from Samsung are durable, offering a long lifetime without loss of picture quality. Samsung Displays are also built with less harmful materials, so that the manufacturing and recycling processes are much more efficient and friendlier to the environment.

Samsung LYNK[™] HD Content Decryption DRM

Samsung's software-based DRM technology is integrated into the entire Samsung 2014 Hotel TV line. Samsung LYNK'" offers a robust solution to unlock premium HDTV content from content providers such as cable, satellite and VOD providers, with maximum

Sleep Timer

efficiency and security.

Set TV turn-off time in 30-minute intervals up to 180 minutes.

Closed Captioning

A text display of all audio content including spoken dialog and non-speech information such as the identity of the speakers and symbols for sound effects and music.

OSD Language

English/French/Spanish.

Picture-in-Picture

Display one program while another is being displayed on the full TV screen at the same time.

Clock On Timer and Alarm Key

Allows the guest to program the TV to turn on as a wake-up alarm.

CONNECTIONS

Anynet + (HDMI – CEC)

Samsung protocol that allows the user to control other HDMI devices connected to the TV display. Examples of these devices are DVD and Soundbars.

ConnectShare[™] (USB 2.0)

Connect a thumb drive or digital camera quickly and easily. User-friendly interface allows access to videos, a music playlist and pictures via the remote.

Interactive Compatibility System

| ALLIN | Enseo | Guest <mark>tek</mark> | ibahn' | INNVUE | ◦ <i>≸</i> nstreams |
|----------|-------------|------------------------|----------------|--------|---------------------|
| Quadriga | ≡ SeaChange | e 🔹 🔹 swisscom |) tangerine | | |

Remote Jack Panel (RJP) Compatibility

GLINK Creleadapt

PICTURE QUALITY AND AUDIO

Auto Volume Limiter

During initial product setup, minimum and maximum volume levels can be locked to help minimize disturbance to other hotel guests.

Music Mode (Input: HDMI/PC/AV/Component)

When picture is muted, allows audio feedback.

Music Mode Backlight On/Off

Background display.

Swivel Stand with Optional Stops

Samsung Hospitality Displays pedestal stand rotates 90 degrees in both directions with optional 20-, 60- and 90-degree stops so wherever in the room your guests are, they should have an excellent view of their TV. Swivel stand includes integrated mounting plate and bolt-down kit (4 bolts, 2 nuts, 2 washers).

Samsung Soundbar Compatible

Samsung Hospitality Displays enable Soundbar compatibility by supporting HDMI-CEC. When you connect the Soundbar to the Samsung Hospitality Display with an HDMI cable, the TV audio settings and menu lock feature are automatically applied, so you don't have to set up the Soundbar separately. You can also prevent guests from changing the settings. With one single remote, guests can control both the TV and Soundbar simultaneously.

WARRANTY

2-year parts and 2-year labor warranty backed by Samsung Hospitality Hotline 1-866-894-0524. Optional professional installation, accessories and extended warranty are available.

SAMSUNG

Samsung 470/570 Series Hospitality TVs





8 9

() () 0 6

000

DIGITAL RIGHTS MANAGEMENT (DRM)

Samsung LYNK[™] HD Content Decryption DRM

Samsung's software-based DRM technology is integrated into the entire Samsung 2014 Hotel TV line. Samsung LYNK[™] offers a robust solution to unlock premium HDTV content from content providers such as cable, satellite and VOD providers, with maximum efficiency and security.



SAMSUNG

6 6 🗟 📥

| SAMSUNG 470 | /570 SERIES HOSPITALITY | TVs KEY SPECIFICATION | S For complete product specificat | ions, visit samsung.com/hospitality | / | |
|----------------------|----------------------------------------------------------------------------------|-------------------------------------|------------------------------------------|----------------------------------------|----------------------------------------|----------------------------------------|
| | Model Number | HG22NA470BF | HG32NA470GF | HG39NA570CF | HG40NA570LF | HG46NA570LB |
| Display | Backlight | Direct-lit LED | Direct-lit LED | Direct-lit LED | Direct-lit LED | Direct-lit LED |
| Display | Screen Size (Diagonal) | 22" | 32" | 39" | 40" | 46" |
| | HD/FHD | FHD | HD | FHD | FHD | FHD |
| | Resolution | 1920 X 1,080 | 1366 x 768 | 1920 x 1080 | 1920 x 1080 | 1920 x 1080 |
| Video | Picture Engine | HyperReal Engine | HyperReal Engine | HyperReal Engine | HyperReal Engine | HyperReal Engine |
| video | Wide Color Enhancer Plus | Yes | Yes | Yes | Yes | Yes |
| | Film Mode | Yes | Yes | Yes | Yes | Yes |
| Audio | Dolby | Dolby Digital Plus / Dolby Pulse | Dolby Digital Plus / Dolby Pulse | Dolby Digital Plus / Dolby Pulse | Dolby Digital Plus / Dolby Pulse | Dolby Digital Plus / Dolby Pulse |
| Audio | DTS Studio Sound / DNSe+ / dts 2.0 | Yes | Yes | Yes | Yes | Yes |
| | Surround (SRS) | SRS Theater Sound | SRS Theater Sound | SRS Theater Sound | SRS Theater Sound | SRS Theater Sound |
| | Auto Volume Leveler | Yes | Yes | Yes | Yes | Yes |
| | Speaker Type | Down Firing + Full Range | Down Firing + Full Range | Down Firing + Full Range | Down Firing + Full Range | Down Firing + Full Range |
| | Sound Output (RMS) | 3Wx2 | 10Wx2 | 10Wx2 | 10Wx2 | 10Wx2 |
| Features | ConnectShare™ (USB 2.0) | Movie | Movie | Movie | Movie | Movie |
| | OSD Language | English, French, Spanish | English, French, Spanish | English, French, Spanish | English, French, Spanish | English, French, Spanish |
| | Digital Noise Filter | Yes | Yes | Yes | Yes | Yes |
| | | Yes Yes | Yes Yes | Yes Yes | Yes Yes | Yes Yes |
| | Anynet+ (HDMI-CEC) Auto Channel Search | Yes | Yes | Yes | Yes | Yes |
| | Auto Chainer Search Auto Power Off | Yes | Yes | Yes | Yes | Yes |
| | Caption (Subtitle) | Yes | Yes | Yes | Yes | Yes |
| | Wake-up Timer | Yes | Yes | Yes | Yes | Yes |
| | Game Mode | Yes | Yes | Yes | Yes | Yes |
| | Picture-In-Picture | 1 Tuner PIP | 1 Tuner PIP | 1 Tuner PIP | 1 Tuner PIP | 1 Tuner PIP |
| | Sleep Timer | Yes | Yes | Yes | Yes | Yes |
| Hospitality Features | Samsung LYNK™ REACH Server Compatibility | Yes | Yes | Yes | Yes | Yes |
| noopitanty reathes | Hospitality Plug&Play (Easy Set-up) | Yes | Yes | Yes | Yes | Yes |
| | RJ 12 / IR Pass Through | Yes | Yes | Yes | Yes | Yes |
| | Power on Mode | Yes | Yes | Yes | Yes | Yes |
| | USB Cloning | Yes | Yes | Yes | Yes | Yes |
| | Logo Display with Time Out Setting (BMP/Movie) | | Yes | Yes | Yes | Yes |
| | Welcome Message | Yes | Yes | Yes | Yes | Yes |
| | Music Mode (Input : PC/AV/Component/HDMI) | | Yes | Yes | Yes | Yes |
| | Music Mode BackLight on/off Auto Source Mode | Yes Yes | Yes Yes | Yes Yes | Yes Yes | Yes Yes |
| | Energy Saving Mode(BLU control) | Yes | Yes | Yes | Yes | Yes |
| | Software Clock | Yes | Yes | Yes | Yes | Yes |
| | Multi Code Remote Control | Yes | Yes | Yes | Yes | Yes |
| | Screwed Remote Battery Cover | Yes | Yes | Yes | Yes | Yes |
| | Security Mode | No | Yes | Yes | Yes | Yes |
| | Smoovie Compatibility | Yes | Yes | Yes | Yes | Yes |
| | Sound bar compatibility | Yes | Yes | Yes | Yes | Yes |
| | Samsung LYNK [™] DRM | Yes | Yes | Yes | Yes | Yes |
| Input & Output | HDMI (Side/Rear) | 0/2 | 1/2 | 1/2 | 1/2 | 1/2 |
| input & output | USB (Side/Rear) | 0/1 | 1/0 | 1/0 | 1/0 | 1/0 |
| | Composite In (AV) (Side/Rear) | 0/1 (Common Use for Component Y) | 1/1 (Common Use for Component Y) | 1/1 (Common Use for Component Y) | 1/1 (Common Use for Component Y) | 0/1 (Common Use for Component Y) |
| | Ethernet (LAN) (Side/Rear) | No | No | No | No | No |
| | Audio Out (Mini Jack) (Side/Rear) | No | 1 | 1 | 1 | 1 |
| | | 1 | 1 | 1 | 1 | 1 |
| | RS232C | Yes | Yes | Yes | Yes 1 | Yes |
| | RJ12 for External Control (Side/Rear) RJP Jack (Remote Jack Pack) (Side/Rear) | 1 | 1 | 1 | 1 | 1 |
| | RJP Jack (Remote Jack Pack) (Side/Rear) DTV Tuner | ATSC / Clear QAM | ATSC / Clear QAM | ATSC / Clear QAM | ATSC / Clear QAM | ATSC / Clear QAM |
| System | Analog Tuner | Yes | Yes | Yes | Yes | Yes |
| | Front Color | Black | Black | Black | Black | Black |
| Design | Stand Type | Round | Square | Square | Square | Square |
| | Swivel (Left/Right) | No | 20/60/90 | 20/60/90 | 20/60/90 | 20/60/90 |
| Dimensions | Set Size with Stand (mm) / (inches) | 515.87 x 350.01 x 121.92 / | 738.8 x 500.8 x 191.7 / | 895.9 x 589.3 x 227.6 / | 927.6 x 607.0 x 227.6 / | 1059.8 x 681.2 x 227.6 / |
| (W x H x D) | | 20.31" x 13.78" x 4.88" | 29.09" x 19.42" x 7.55" | 35.27" x 23.20" x 8.96" | 36.52" x 23.90" x 8.96" | 41.72" x 26.82" x 8.96" |
| | Set Size without Stand (mm) / (inches) | 515.87 x 350.01 x 39.88 / | 738.8 x 436.7 x 93.2 / | 895.9 x 532.5 x 94.1/ | 927.6 x 551.0 x 93.0 / | 1059.8 x 625.6 x 94.3 / |
| 0 | 41 1 MAR / 544 1 5 | 20.31" x 13.78" x 1.57" | 29.09" x 17.19" x 3.67" | 35.27" x 20.96" x 3.70" | 36.52" x 21.69" x 3.66" | 41.72" x 24.63" x 3.71" |
| Carton Dimensions | (H x L x W) (mm) / (inches) | 588.01 x 119.88 x 45.47 / | 902.0 x 530.0 x 162.0 / | 1074.0 x 165.0 x 618.0 / | 1104.0 x 641.0 x 175.0 / | 1237.0 x 723.0 x 175.0 / |
| | Set Weight with Stand (kg / lbs.) | 23.15" x 4.72" x 1.79" 3.5 / 7.7 | 35.51" x 20.87" x 6.38" 7.8 / 10.6 | 42.28" x 24.33" x 6.49" 10.6 / 23.4 | 43.46" x 25.24" x 6.89" 11.9 / 26.2 | 48.70" x 28.46" x 6.89" 15.4 / 33.9 |
| Weight | Set Weight with Stand (kg / lbs.) | 3.4 / 7.5 | 5.8 / 9.2 | 7.8 / 17.2 | 9.0 / 19.8 | 12.5 / 27.5 |
| | | 4.4 / 4.7 | 9.6 / 21.2 | 12.6 / 27.8 | 14.27 / 31.5 | 18.15 / 40.1 |
| 10000 | Dimensions (mm) | 75 x 75 | 200 x 200 | 200 x 200 | 200 x 200 | 400 x 400 |
| VESA Mounting | Screw Size | M4 | M6 | M6 | M6 | M8 |
| | Power Supply | AC110-120V 60Hz | AC110-120V 60Hz | AC110-120V 60Hz | AC110-120V 60Hz | AC110-120V 60Hz |
| Power | Multi Voltage | AC110-220V | AC110-220V | AC110-220V | AC110-220V | AC110-220V |
| UPC | UPC | 036725237742 | 036725237735 | 887276007908 | 0372537803 | 036725237870 |
| Accessory | Remote Controller Model | TM1050 | TM1050 | TM1050 | TM1050 | TM1050 |
| Accessory | Battery (for Remote Control) | Yes | Yes | Yes | Yes | Yes |
| | Mini Wall Mount Support | No | Yes | Yes | Yes | Yes |
| | Vesa Wall Mount Support | Yes | Yes | Yes | Yes | Yes |
| | Power Cable (5 ft.) | Yes | Yes | Yes | Yes | Yes |
| | Data Cable | Yes | Yes | Yes | Yes | Yes |
| | Quick Install Guide | Yes | Yes | Yes | Yes | Yes |
| | Security Screws | Yes | Yes | Yes | Yes | Yes |
| | Stand Mount Kit | No | Yes | Yes | Yes | Yes |

SAMSUNG

For complete product information and accessories, visit samsung.com/business or samsung.com/hospitality

Sales Support: 1-888-727-2664 or 1-866-SAM4BIZ | Follow Us: 🔠 youtube.com/samsungbizusa | 💟 @SamsungBizUSA

Samsung Electronics has been named 2013 ENERGY STAR Partner of the Year in the product manufacturing category by the U.S. Environmental Protection Agency (EPA).

ENERGY STAR AWARD 2013 PARTNER OF THE YEAR PARTNER OF THE YEAR