HP t310 G2 All-in-One Zero Client



Experience the first narrow bezel AIO Zero Client by HP, powered by Teradici and designed for the way you do business. Seamless visuals, improved ergonomics and maximum data security, take your work to new heights.



See it all

Create a seamless, aesthetically beautiful workspace. Enjoy an impressive visual experience and improved focus on one or more monitors with a virtually borderless 23.8-inch diagonal Full HD display.

Adjust to your comfort

Customize your workspace to meet your unique needs. The comfort designed stand can be adjusted up or down, tilted, swiveled or rotated to support both landscape and portrait mode.

Access the data, don't store it

Our Zero Clients' embedded PCoIP protocol does all computation work through the data center. With only pixels streamed to the desktop, there's no vulnerable local data or surface area.

Featuring

- Watch your images and graphics come to life on a Full HD (1920x1080) IPS display with a wide-viewing angle and sharp, detail-rich color reproduction.
- Enabling seamless multi-display arrangements is now easier than ever. The DisplayPort[™] makes attaching a second display simple and fast.⁵
- Reduce noise distractions at your desk with a focus-friendly fanless design and thermal controls.
- The high-performing Tera2 PCoIP desktop can deliver full frame rate 3D graphics and high-definition media even over high-latency networks.
- Access your remote desktop easily by connecting into a VMware Horizon[®] View[™] or VMware vCloud[®] Air[™] and Amazon WorkSpaces[™].^{1,2}
- Get started right out of the box with keyboard and mouse included with the device. HP Quick Release is integrated into the display to enable faster and easy setup.³
- A one-year subscription to Desktop Access is included with the purchase of every new HP t310 Zero Client.⁴

HP t310 G2 All-in-One Zero Client Specifications Table







Operating System	No operating system		
Core Processing Technology	TERA2321 PCoIP Zero Client 4		
Graphics	Graphics integrated on processor		
Maximum Memory	512 MB DDR3-1333 SDRAM (Transfer rates up to 1333 MT/s)		
Networking	LAN 10/100/1000 GbE		
Audio	Stereo audio output using 1/8-inch mini-jack. Stereo audio input using 1/8-inch microphone mini-jack		
Display Support	Support for one additional digital display via DisplayPort™ at resolutions up to 2048 x 1152.		
Display	23.8" diagonal FHD IPS WLED-backlit (1920 x 1080) ^{1,2}		
Input Devices	HP Wired USB Keyboard (standard) HP Wired USB Mouse (standard)		
Power	45 W, worldwide auto-sensing, 100-240 VAC, 50-60 Hz, energy saving automatic power-down, surge tolerant external adapter		
Input/Output	Side 4 USB 2.0; 1 headphone; 1 microphone Bottom 2 USB 2.0; 1 RJ-45; 1 VGA; 1 DisplayPort™; 1 power connector (Two of 6 USB 2.0 ports used for keyboard and mouse. The VGA is input and the DisplayPort™ is output.)		
Dimensions (W x D x H)	21.28 x 8.27 x 19.9 in 54.06 x 21.02 x 50.55 cm (With stand)		
Weight	11.98 lb 5.43 kg (With stand. Weight varies by configuration.)		
Protocols	VMware [®] Horizon View™ through PCoIP; VMware Horizon [®] DaaS [®] through PCoIP; Amazon WorkSpaces through PCoIP		

HP t310 G2 All-in-One Zero Client

Accessories and services (not included)

HP Z24nf G2 23.8-inch Display		Be a productive powerhouse with the sleek HP Z24nf G2 23.8-inch Display. This virtually seamless Full HD display is factory-tested for reliability and longevity with integrated color calibration, uninterrupted multi-screen ¹ tiling, and expansive device connections. Product number: 1JS07A8
HP Keyed Cable Lock 10 mm		Help keep your notebook safe in the office and high-traffic areas by tethering it to a secure surface with the HP Master Keyed Cable Lock 10mm, designed specifically for ultra-thin profile notebooks. Product number: T1A62AA
HP 3 year Next Business Day Advanced Exchange Hardware Support for Thin Clients	400 HP Care	When you can't afford to wait for your device to be exchanged, let HP Hardware Next Business Day Advance Exchange get you back up and running as quickly as possible. You'll get remote technical assistance to help you resolve problems. Then, if needed, we'll ship you a replacement unit within the next business day' – along with a prepaid waybill to ship back your defective unit. Product number: U4847E

Messaging Footnotes

¹ VMware is sold separately, subscription required.

² Amazon WorkSpaces requires subscription from Amazon. See http://aws.amazon.com/workspaces/ for complete details. Amazon Workspaces requires Teradici firmware version 4.6 or higher.

³ Mounting hardware sold separately.

⁴ Teradici Desktop Access one (1) year subscription included. Proof of purchase required. Trial begins on date of hardware purchase. PCoIP Zero Clients purchase must be more recent than December 1, 2017. For more information, visit http://www.teradici.com

⁵ The DisplayPortTM did not pass VESA 1.2 certification guidelines.

Technical Specifications Footnotes

¹ HD content required to view HD images.
² Resolutions are dependent upon monitor capability, and resolution and color depth settings.

³ Teradici Desktop Access one (1) year subscription included. Proof of purchase required. Trial begins on date of hardware purchase. PCoIP Zero Clients purchase must be more recent than December 1, 2017. For more information, visit http://www.teradici.com

⁴ The DisplayPortTM did not pass VESA 1.2 certification guidelines.

Sign up for updates hp.com/go/getupdated Learn more at hp.com

Copyright © 2018 HP Development Company, L.P. The only warranties for HP products are set forth in the express limited warranty statements accompanying such products. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Amazon WorkSpaces is a trademark of Amazon.com, Inc. or its affiliates in the United States and/or other countries. DisplayPort™ and the DisplayPort™ logo are trademarks owned by the Video Electronics Standards Association (VESA®) in the United States and other countries. VMware is a registered trademark or trademark of VMware, Inc. in the United States and/or other jurisdictions.

