

## **Product overview**

Juniper Mist Access Assurance is a cloud-based service that ensures zero-trust, identitybased network access and fullstack policy and segmentation assignments with end-to-end user experience visibility. The service delivers a suite of access control functionality with a flexible, yet simple authorization policy framework for onboarding guest, IoT, BYOD, and corporate devices. Client connection is controlled based on user and device identities, regulating access for devices connecting to the network. Access Assurance also provides access control services for devices leveraging 802.1X authentication and MAC Address Bypass for non-802.1X allowlisted, wired IoT devices.

# JUNIPER MIST ACCESS ASSURANCE DATASHEET

#### Product Description

Juniper® Mist<sup>™</sup> Access Assurance is a microservices-based, cloud network access control (NAC) service that enables enterprises to easily enforce a zero-trust security model. Access Assurance solves many complexity challenges associated with traditional NAC offerings, by removing on-premises server hardware, providing inherent service high-availability, resilience, as well as automatic at-run-time feature updates, security, and vulnerability fixes. Extending Juniper Mist IoT Assurance capabilities, which simplifies on-boarding for headless IoT and BYOD devices, Access Assurance extends support to onboard wired and wireless devices with 802.1X authentication or MAC Authentication Bypass (MAB) methods for non-802.1X devices.

Access Assurance uses hundreds of different vectors to match the identity of the user and the device, such as X.509 certificate attributes, user group memberships, device compliance metrics, as well as location context. These vectors help determine identity-based network admission criteria, such as the network segment or a microsegment a device should connect to and the network policy that should be dynamically applied to a user.



Figure 1: Juniper Mist Access Assurance cloud service greatly simplifies network access control.

Name Ianned Devices Id Wired Printers Id Wired Cameria	Much Checks practic to Notificity, SH2 User Group, H2         Excited Date           +         @@	$ \begin{vmatrix} rotoy \\ -\mathbf{X} \rightarrow \\ -\mathbf{V} \rightarrow \\ -\mathbf{V} \rightarrow \end{vmatrix} $	Aligned Molder (M.M. Kols, Senior Timoura, etc) (Menocr Across Daniel (Menocr Across Alineae) Menocr Across Alineae Senior Across Ali
d Wired Printers d Wired Cameras	+ Jil Approved/Virters × MAB × Wired		Network Access Allowed Shinese R InStAtework *
d Wired Carrieran		$ \begin{array}{c} \bullet & \bullet \\ \bullet & \bullet \\ \bullet & \bullet \\ \bullet & \bullet \end{array} $	
	+ JI ApprovedCommun × MAB × Mined	I — <b>√</b> →	Natwork Access Allowed Cameras # Inf-Natwork # +
Access Points	+ all Mox Access Points + MALE + Mined	$I \longrightarrow$	Network Access Allowed Miss AP Role X Network Infrastructure Group X +
ed Cert Auth	+ any Crephyse Group II Centrators Group II al Centratory Department II SAPTLS II Mond		Namerick Access Allowed Employee Network 🛛 🛪 Trained Envice-Group 🛛 🖈
oloyee BrOD	Erry Errpione Group × Cantantant Group × 28     All EM-TTLE × Window	_ <b>~</b> →	Network Access Allowed I Englayee Table X IEED Network X +
ee CDRP Devices		→	Network Access Allowed Complexes Network \star Employee Rate \star 🕈
		xee \$POD         xet         (MATTS: II)         Weeks III)           COMP Devices         +         (any Exception Costs) = (Controlson Goess III)         > 24           2 at Controlson Goess III)         > 24         Controlson Goess III)         > 24	eve Brod all DARTIS is Writes is + ury President Consolid States Consolid

Figure 2: The flexible policy creation interface helps admins assign policies based on business requirements.

Most importantly, Access Assurance provides end-to-end connectivity troubleshooting in a unified view from the client, network infrastructure, and access control perspective, dramatically simplifying Day 2 support. IT admins gain a cohesive view of the end-user experience and can determine whether poor experiences are due to client configuration, network infrastructure, authentication, or a service.

Client Event	S 127 Total	119 Good 2 Neutral 6 Bad				
Gateway ARP Success	APHOLORQLAD-1	12.59:18.365 PM, Feb. 16	SSID	mist-aa	VLAN	750
HCP Success	APHOLORQUAD-1	12.59:18.964 PM, Feb 16	Certificate Serial Number	8bbc1f01739ab5e9	User Group	employee
uthorization &	APHX-BRQLAB-1	12:59:18:378 PM, Feb 16	Authentication Type	802.1X	User Name	user1@deaflyz.onmicrosoft.c
VAC Authorization	APHX-BRQLAB-1	12:59:18.298 PM, Feb 16	Certificate CN	user1@deaflyz.onmicrosoft.com	Certificate Issuer	/C+US/ST+CA/D+MisU/CN +ca.deaflyzonmicrosoft.c
Success			Certificate Expiry	2033-02-06T09:55:32Z		om
UAC IDP Group ookup Success	APHV-BRQLAB-1	12.58-18.295 PM, Feb 16	EAP Type	EAP-TLS	IdP Roles	UNCG-Portal- UsersEmployee
UAC Client Sertificate Validation Success	APHX-BRQLAB-1	12.59:18.282 PM, Feb 16			Auth Rule	Employee CORP Devices



#### Architecture and Key Components

Access Assurance is delivered through Juniper Mist cloud and powered by <u>Mist Al</u>. The microservices architecture ties together high availability, redundancy, and autoscaling for optimal network access across <u>wired</u>, <u>Wi-Fi</u>, and <u>wide area networks</u>. Using geoawareness, Access Assurance automatically redirects authentication requests from different regions to the nearest Access Assurance instance to provide minimal latency and best end-user experience.

Access Assurance provides an authentication service by integrating external directory services like Google Workspace, Microsoft Azure AD, Okta Identity, and others. It also integrates external Public Key Infrastructure (PKI) and Mobile Device Management (MDM) providers such as Jamf, Microsoft Intune, and others to provide granular user and device identification to enforce identity-based, zero-trust network access control.

### Features and Benefits Client Experience-First

Access Assurance provides a unified view of the client connectivity experience and can easily identify a problem and perform root cause analysis. All client events including connection and authentication successes and failures are captured by Juniper Mist cloud. With this data, Juniper Mist cloud helps simplify day-to-day operations by easily identifying if an end-user connectivity issue is caused by a client configuration mistake, network infrastructure and service problems, or authentication policy configuration issues. The Juniper Mist service level expectations (SLEs) for <u>wired</u> and <u>wireless</u> clients are enhanced to include network access events, such as authentication events, certificate validations, and more.



Figure 4: Client SLE failures provide descriptions for known issues.

#### Single Pane of Glass for Management and Operations

Access Assurance is tightly integrated with Juniper Mist cloud providing full-stack management and day-to-day operations for <u>Wi-</u> <u>Fi Assurance</u>, <u>Wired Assurance</u>, SD-WAN Assurance, and Access Assurance in one dashboard for end-to-end visibility. The <u>Marvis™</u> <u>Al</u> engine leverages data from multiple sources for anomaly detection to provide actionable metrics. Through the dashboard, users can:

- create and apply access policies that ensure only authorized devices and users are allowed network access
- assign users and devices to the correct network segment
- prevent users and devices from accessing restricted resources
- add and modify certificates and certificate authorities
- configure identity providers
- monitor client activity across the organization



Figure 5: A friendly user interface highlights Access controls.

#### Granular User and Device Identity

Access Assurance is capable of granular identity fingerprinting based on X.509 certificate attributes. It also uses intrusion, detection, and prevention (IDP) information like group membership, user account state, MDM compliance state, client lists, and user location for fingerprinting. The resulting user and device fingerprint provides an identity vector for accurate policy assignment within the zero-trust principles.



Figure 6: Identity fingerprinting is possible through multiple methods.

#### Network Policy Enforcement and Microsegmentation

Based on user and device identity, Access Assurance can instruct the network to assign a user to a specific network segment (VLAN or a group-based policy tag), as well as enforce network policy by assigning a user role. Such roles can be leveraged in the Juniper Mist WxLAN policy framework or switch policies.



Figure 7: Enforced policies for VLANs, group-based policies, and user roles are easily visible.



Figure 8: Recognizing policies with group-based tags is quick and fast.

#### Built-in High Availability and Geo-Affinity

With Access Assurance, organizations gain reliable and low-latency network access control of their networks in single and multisite deployments. Juniper has deployed cloud instances of its network access control cloud service in multiple regional locations. In multisite deployments, authentication traffic coming from the network infrastructure is automatically directed to the nearest Access Assurance instance. Latency is minimized and users enjoy an exceptional wireless experience. This automated process is fully transparent to users and requires no involvement from the IT team. Organizations are assured reliable, redundant network access for client devices regardless of the state of the nearest regional instance.

#### Automatic Feature and Security Updates

The Juniper Mist microservices-based cloud architecture keeps Access Assurance optimized with the most advanced technologies. New features, security patches, and updates are automatically added to Access Assurance on a bi-weekly basis without interruptions or service downtime. This capability dramatically simplifies and improves service operations for network IT administrators, eliminating lengthy software upgrades and service downtime. Juniper can easily deploy new features and functions to its cloud-based services, bringing advancements to market more rapidly and continuously improving your client-to-cloud experience.

#### Extending Juniper Mist IoT Assurance with Access Assurance

Access Assurance is coupled with Juniper Mist IoT Assurance to build out controls for onboarding and management of corporate devices with 802.1X authentication well as MAC-less onboarding of non-802.1X IoT and BYOD devices. IoT Assurance simplifies IT operations and secures connections for headless IoT and BYOD devices via a Multiple Pre-Shared Key (MPSK) mechanism. It incorporates a full suite of access control functionality leveraging MPSK or Private Pre-Shared Key (PPSK) as a new type of identity and policy vector.

IoT Assurance also provides PSK Portal creation enabling BYOD onboarding workflows by automating PSK generation based on user identity, leveraging Security Assertion Markup Language (SAML) for an SSO experience. It enables seamless client device onboarding via mobile QR code or by typing a personalized passphrase without installing any client software.

#### Marvis Virtual Network Assistant

Marvis Virtual Network Assistant uses Mist AI to help IT teams interact and engage with their networks. The Marvis AI engine binds together Access Assurance with other Juniper Mist cloudbased services, such as Wired Assurance, Wi-Fi Assurance, and WAN Assurance, helping the operations team move closer to achieving The Self-Driving Network<sup>™</sup> with simplified troubleshooting and performance analysis.

Using features powered by Mist AI, helpdesk staff and network administrators can simply ask a question in natural language and get actionable insights using Marvis Conversational Interface that help them identify and solve network issues. Marvis brings proactive anomaly detection into the SLE dashboard. With Marvis Actions, staff gain proactive, actionable insights to identify network access issues across the full stack, providing recommendations for user connectivity issues. This provides our customers easy root cause analysis across the full network stack and authentication services.

#### **API-Driven Architecture**

Access Assurance service is 100% based on public Representational State Transfer (REST) APIs that allow easy integration with external security information and event management (SIEM) or IT service management systems or other platforms for both configuration and policy assignment. These APIs provide the capability to invoke actions based on user or external events, as well as for using the cloud-native Webhook framework. Overall, the Juniper Mist platform is 100% programmable, using open APIs, for full automation and seamless integration with complementary Juniper access, wired, wireless, WAN, security, <u>user engagement</u>, and <u>asset</u> <u>location</u> solutions.

#### **Specifications**

Feature	Description			
X.509 certificate management	External PKI support Automatic CRL/OSCP certificate revocation check			
External identity provider integration	<ul> <li>The following protocols are supported to integrate into any identity provider to do user lookup and get device state information:</li> <li>Secure Lightweight Directory Access Protocol (LDAP)</li> <li>OAuth2</li> <li>RADIUS over TLS (RadSec) client</li> </ul>			
802.1X Authentication Methods	<ul> <li>The following EAP methods are supported for secured 802.1X access:</li> <li>Extensible Authentication Protocol-Transport Layer Security (EAP-TLS)</li> <li>Protected Extensible Authentication Protocol PEAP TLS Tunnel</li> <li>Extensible Authentication Protocol (TEAP) (TLS/TLS) Extensible Authentication Protocol-Tunneled TLS (EAP-TTLS (PAP)</li> </ul>			
Non-802.1X authentication methods	MAC Authentication Bypass (MAB) Multi Pre-Shared Key (MPSK)			
Network policy and microsegmentation	Assign VLANs, role and group-based policy tags dynamically based on the user identity			
Third-party network infrastructure support	Supported via Mist Edge Auth Proxy application, third-party vendor devices can communicate over standard RADIUS to the Mist Edge Auth Proxy			

# Feature Description Juniper Mist IoT Assurance (Included with Access Assurance subscription) IoT and BYOD client-device onboarding Create, rotate, auto-expire PSKs and MPSKs Dynamic traffic engineering Key-based WxLAN policy Personal WLAN creation and management Active device usage tracking per PSK PSK

Automated key provisioning and rotation

#### **Ordering Information**

The Access Assurance service is provided as a subscription, based on the average concurrently active client devices seen over a 7-day period.

SKU	Description
S-CLIENT-S-1	Standard Access Assurance subscription for 1 client for 1 year
S-CLIENT-S-3	Standard Access Assurance subscription for 1 client for 3 years
S-CLIENT-S-5	Standard Access Assurance subscription for 1 client for 5 years

#### About Juniper Networks

Juniper Networks brings simplicity to networking with <u>products</u>, <u>solutions</u>, and <u>services</u> that connect the world. Through engineering innovation, we remove the constraints and complexities of networking in the cloud era to solve the toughest challenges our customers and partners face daily. At Juniper Networks, we believe that the network is a resource for sharing knowledge and human advancement that changes the world. We are committed to imagining groundbreaking ways to deliver automated, scalable, and secure networks to move at the speed of business.

#### **Corporate and Sales Headquarters**

Juniper Networks, Inc. 1133 Innovation Way Sunnyvale, CA 94089 USA **Phone: 888.JUNIPER (888.586.4737)** 

or +1.408.745.2000 www.juniper.net APAC and EMEA Headquarters

Juniper Networks International B.V. Boeing Avenue 240 1119 PZ Schiphol-Rijk Amsterdam, The Netherlands

86.4737) Phone: +31.207.125.700

Driven by Experience

Copyright 2023 Juniper Networks, Inc. All rights reserved. Juniper Networks, the Juniper Networks logo, Juniper, and Junos are registered trademarks of Juniper Networks, Inc. in the United States and other countries. All other trademarks, service marks, registered marks, or registered service marks are the property of their respective owners. Juniper Networks assumes no responsibility for any inaccuracies in this document. Juniper Networks reserves the right to change, modify, transfer, or otherwise revise this publication without notice.