



Wireless N for flexible placement



Outdoor-Ready:
Weatherproof casing



Day/Night : See up to 15-feet
in the dark



Remote Viewing: View on iPhone®,
iPad®, Android® or Windows® Phone
with mydlink™ app



microSD card slot: record directly
to microSD⁸

Outdoor HD Wireless Network Camera

Cloud Camera 2330L

Product Highlights

HD Image Quality and Detail

A high-resolution megapixel sensor provides 720p HD resolution images and video to ensure that you capture the details you need

All-Day Outdoor Surveillance

A built-in ICR filter and IR illuminator let you monitor an area 24 hours a day, and the IP65 weatherproof housing protects the camera from the elements

mydlink-enabled Cloud Access

Easy remote viewing and management of your camera on your mobile device or through the mydlink website

Outdoor HD Wireless Network Camera

The D-Link (DCS-2330L) is an Outdoor HD Wireless Network Camera, with an outdoor-ready design, wireless connectivity for easy setup and flexible placement, HD 720p surveillance recording, and Cloud Services-enabled remote management, the Cloud Camera provides a perimeter of protection so you can keep an eye on what matters most.

Outdoor-Ready Coverage

D-Link's Outdoor HD Wireless Network Camera is outdoor-ready with a IP65 resistant casing equipped to handle dust and water contact. It also features a versatile -13°F to 113°F operating temperature range so you can keep an eye on the bigger picture—whatever the weather, whatever the season.

DCS-2330L

Features

- Remotely Monitor Your Home or Office over the Internet
- Wireless 802.11 Compliant with Push Button Wi-Fi Protected Setup™ (WPS)
- HD resolution 1280x720
- Supports H.264/MJPEG Video Codec
- Built-In 5M IR LED for Viewing Dark Environments
- Built-In PIR Sensor for Enhanced Motion Detection
- Recording Directly to microSD Card⁸
- Motion & Sound Detection to Trigger Recording and Send E-mail/ Push Alerts
- Privacy Mask Support
- Digital Pan/Tilt/Zoom
- Support for iPhone®, iPad®, Android® & Windows® Phone Apps²
- mydlink.com Portal for Easy Viewing and Management
- Administrator/User Password Protection
- UPnP® Support for Network Setup & Configuration
- IP65 Weatherproof
- Operating Temperature: -13°F - 113°F (-25°C - 45°C)
- 24/7 Basic Installation Support³
- 1-Year Limited Warranty⁴

Minimum System Requirements

Computer with:

- 1.3GHz Processor
- 128MB Memory
- Windows® 8⁵, Windows® 7⁵, Windows Vista⁵ and Windows® XP SP3⁵, or Mac OS X (10.5 and above, Intel Processor)
- Internet Explorer® 7, Mozilla® Firefox® v3.5, Google® Chrome 8.0, or Safari® v4

For Internet Access:

- Cable or DSL Modem
- Subscription with an Internet Service Provider (ISP)

Package Contents

- Outdoor HD Wireless Network Camera (DCS-2330L)
- Ethernet Cable
- Power Adapter
- Quick Install Guide

720p HD for Superior Image Quality

The D-Link Outdoor HD Wireless Network Camera (DCS-2330L) delivers the confidence of 720p HD video clarity, ensuring rich detail and crisp image quality for your surveillance recording. And with integrated night-vision and PIR motion-sensing technology, the DCS-2330L remains vigilant 24 hours a day, whether you're there or not.

Industry-Leading Remote Viewing with mydlink™

With the free mydlink™ mobile app, you can monitor your home or business on your iPhone, iPad, Android device or Windows® phone and experience the peace of mind that comes from having round-the-clock surveillance at your fingertips. Check in on your home while you're at work, or monitor your business when you're out of the office – with mydlink, you can keep an eye on what matters, whenever and wherever you want.

Make Easy Setup Even Easier – With Zero Configuration⁶

Connecting your D-Link camera with any router is easy – make it even easier with your D-Link Cloud Router. Zero Configuration automatically configures and intelligently syncs your D-Link camera to your mydlink account – it's as easy as connect and view!

Record Directly to microSD Card⁸

The camera features a microSD card slot for hassle-free recording and playback. No additional PC, network video recorder, or other device is needed. Enjoy the easy and efficient alternative for recording and storing video.

Step 1:



Insert card into
microSD slot

Step 2:



Set record options

Step 3:



Playback to view

via mydlink.com

Versatile operating temperature range. Dust, water and heat-resistant. Reliable coverage for any time, any season.



Technical Specifications

Camera

Hardware Profile	<ul style="list-style-type: none"> • 1/4" Megapixel progressive CMOS sensor • 5 meter IR illumination distance • Minimum illumination: 0 lux with IR LED on • Built-in Infrared-Cut Removable (ICR) Filter module • Built-in PIR sensor (5 meter) 	<ul style="list-style-type: none"> • Focal length: 3.45 mm • Aperture: F2.0
Field of View	<ul style="list-style-type: none"> • (H) 57.8°, (V) 37.8°, (D) 66° 	
Camera Housing	<ul style="list-style-type: none"> • IP65 compliant weatherproof housing 	
Image Features	<ul style="list-style-type: none"> • Configurable image size, quality, frame rate, and bit rate • Time stamp and text overlays • Configurable motion detection windows 	<ul style="list-style-type: none"> • Configurable privacy mask zones • Configurable shutter speed, brightness, saturation, contrast, and sharpness
Video Compression	<ul style="list-style-type: none"> • H.264/MJPEG simultaneous format compression 	<ul style="list-style-type: none"> • JPEG for still images
Video Resolution	<ul style="list-style-type: none"> • 16:9 - 1280 x 720, 800 x 450, 640 x 360, 480 x 270, 320 x 176 up to 30 fps recording¹ 	<ul style="list-style-type: none"> • 4:3 - 1024 x 768, 800 x 600, 640 x 480, 480 x 360, 320 x 240 up to 30 fps recording¹
Audio Support	<ul style="list-style-type: none"> • AAC 	<ul style="list-style-type: none"> • G.711
External Device Interface	<ul style="list-style-type: none"> • 10/100 BASE-TX Fast Ethernet port • 802.11b/g/n Wireless 	<ul style="list-style-type: none"> • microSD/SDHC card slot

Network

Network Protocols	<ul style="list-style-type: none"> • IPv6 • IPv4 • TCP/IP • UDP • ICMP • DHCP client • NTP client (D-Link) • DNS client • DDNS client (D-Link) • SMTP client • FTP client 	<ul style="list-style-type: none"> • HTTP / HTTPS • Samba client • PPPoE • UPnP port forwarding • RTP / RTSP/ RTCP • IP filtering • QoS • CoS
Security	<ul style="list-style-type: none"> • Administrator and user group protection • Password authentication 	<ul style="list-style-type: none"> • HTTP and RTSP digest encryption

System Management

System Requirements for Web Interface	<ul style="list-style-type: none"> • Browser: Internet Explorer, Mozilla Firefox, or Google Chrome 	
Event Management	<ul style="list-style-type: none"> • Motion & sound detection • Event notification and upload snapshots/video clips via email or FTP 	<ul style="list-style-type: none"> • Supports multiple SMTP and FTP servers • Multiple event notification • Multiple recording methods for easy backup
Remote Management	<ul style="list-style-type: none"> • Configuration accessible via web browser • Take snapshots/video clips and save to local hard drive or NAS via web browser 	
Mobile Support	<ul style="list-style-type: none"> • Windows 8® / 7®/Vista®/XP® system, Pocket PC, or mobile phone • mydlink™ mobile app for iOS and Android mobile devices 	
D-ViewCam™ System Requirements	<ul style="list-style-type: none"> • Operating System: Microsoft Windows 8/7/Vista/XP⁵ • Web Browser: Internet Explorer 7 or higher 	<ul style="list-style-type: none"> • Protocol: Standard TCP/IP
D-ViewCam™ Software Functions	<ul style="list-style-type: none"> • Remote management/control of up to 32 cameras • Viewing of up to 32 cameras on one screen 	<ul style="list-style-type: none"> • Supports all management functions in web interface • Scheduled motion triggered or manual recording options

DCS-2330L Outdoor HD Wireless Network Camera (

General Specifications	
Power	<ul style="list-style-type: none">• 5 V DC, 1.2 A through external power adapter• External Power Adapter Input: 100 to 240 V AC, 50/60 Hz
Max. Power Consumption	<ul style="list-style-type: none">• 5 watts max.
Operating Temperature	<ul style="list-style-type: none">• -13° to 113° F (-25° to 45° C)
Storage Temperature	<ul style="list-style-type: none">• -4° to 158° F (-20° to 70° C)
Operating Humidity	<ul style="list-style-type: none">• 20% to 80% non-condensing
Storage Humidity	<ul style="list-style-type: none">• 5% to 95% non-condensing
Certifications	<ul style="list-style-type: none">• CE• CE LVD• FCC• C-Tick
Dimensions	<ul style="list-style-type: none">• 2.6" x 5.53" x 3.66" (66mm x 140.5mm x 93mm)
Weight	<ul style="list-style-type: none">• 8.99oz (255 grams)
Warranty	
Warranty	<ul style="list-style-type: none">• 1-Year Limited⁴
Order Information	
Part Number	Description
DCS-2330L	Outdoor HD Wireless Network Camera

¹Use of audio or video equipment for recording the image of a person without their knowledge and consent is prohibited in certain states or jurisdictions. The end-user assumes all liability for compliance with applicable state, local and federal laws. ²The inclusion of a specific product or manufacturer does not imply its endorsement of D-Link or the D-Link product. ³24/7 Basic Installation Support is available only in the USA for the first 30 days from date of original purchase. ⁴1-Year Limited Warranty available only in the USA and Canada. ⁵Computer must adhere to Microsoft's recommended System Requirements. ⁶Zero Configuration requires mydlink-enabled Cloud Router. ⁷Frame rates when streaming video may vary depending on network conditions and method used. ⁸microSD card not included

All references to speed and range, including the performance chart, are for comparison purposes only. Product specifications, size, and shape are subject to change without notice, and actual product appearance may differ from that depicted on the package. See inside package for warranty details.

For more information

U.S.A. | 17595 Mt. Herrmann Street | Fountain Valley, CA 92708 | 800.326.1688 | dlink.com **Canada** | 2525 Meadowvale Blvd | Mississauga, ON L5N 5S2 | 800.361.5265 | dlink.ca

©2013 D-Link Corporation/D-Link Systems, Inc. All rights reserved. D-Link, the D-Link logo, mydlink, and the D-Link RoHS logo are trademarks or registered trademarks of D-Link Corporation or its subsidiaries in the United States and/or other countries. Other trademarks or registered trademarks are the property of their respective owners. iPhone and iPad are registered trademarks of Apple Inc. Android is a trademark of Google Inc.

Updated 12/03/13



D-Link[®]
Building Networks for People