



720p HD video quality



Wireless 11AC connectivity



Sound & motion detection alerts



See up to 16 feet in the dark



WPS and mobile app for easy setup



mydlink® Home app for remote viewing



DCS-935L HD WI-FI CAMERA

Features

Premium Resolution and Visibility

- HD 1280 x 720p resolution image quality
- See up to 16 feet in complete darkness with built-in IR LEDs
- Supports H.264/M-JPEG video codecs
- 78° (H) Field of View for better camera coverage
- 4x digital zoom for close-up viewing

Security

- Sound & motion detection triggers e-mail/push alert notifications
- Save snapshots/video clips to your mobile device

Ease of Use

- Uses the latest Wireless AC technology so you can install the camera anywhere with ease
- Backwards compatible with 802.11n/g/b
- WPS support for easy wireless connection

Convenient Control with mydlink® Support

- mydlink Home app support for iPhone, iPad and Android phones
- View and manage remotely using just your mobile device

Overview

The HD Wi-Fi Camera (DCS-935L) makes it easy and convenient to watch over your home no matter where you are. Place it anywhere and stay informed with built-in motion and sound detection. The DCS-935L is a standalone surveillance camera that requires no special hardware or software, and can run independently even without a PC. Send e-mail notifications with snapshots or video clips whenever motion or sound is detected using just the HD Wi-Fi Camera and an Internet connection. Monitor your home or small office around-the-clock with the built-in infrared LEDs, giving you up to 16 feet of night time viewing.

See More with HD and 11AC


The HD Wi-Fi Camera delivers the confidence of 720p HD video clarity, ensuring rich detail and crisp image quality for your surveillance recordings. The DCS-935L also has built-in Wireless AC and takes advantage of the latest Wi-Fi technology to give you a high bandwidth connection to your router for streaming HD video from your camera and improved range for more flexible placement. The HD Wi-Fi camera is also backwards compatible and will work seamlessly with your existing wireless devices.

Convenient Access Anytime, Anywhere with mydlink® Home

Enhanced with mydlink® Home support, the HD Wi-Fi Camera makes it easy and convenient for you to look after your family, pets, home or small business. With a mydlink enabled camera, you can stay connected to everything you love from anywhere, anytime. Access your camera through the mydlink Home app to view and manage your camera through your tablet or mobile phone, no matter where you are.



Front View



Back View

Technical Specifications

Camera

Hardware Profile	<ul style="list-style-type: none"> • 1/4" megapixel progressive CMOS sensor • 16 feet IR illumination distance • Minimum illumination: 0 lux with IR LEDs on • Built-in Infrared-Cut Removable (ICR) Filter module • 4x digital zoom • Focal length: 2.38 mm • Aperture: F2.4 	<ul style="list-style-type: none"> • Angle of view: <ul style="list-style-type: none"> • (H) 78.44° • (V) 47.90° • (D) 85.98° • Minimum object distance: 17 inches • Exposure time: 1/7.5 to 1/24,000 sec. • Built-in microphone
Image Features	<ul style="list-style-type: none"> • Adjustable image size, quality, frame rate and bit rate • Adjustable brightness, saturation, contrast, sharpness and hue 	<ul style="list-style-type: none"> • Configurable motion detection windows • Time stamp and text overlays
Video Compression	<ul style="list-style-type: none"> • Simultaneous H.264/MJPEG format compression 	<ul style="list-style-type: none"> • JPEG for still images
Video Resolution	<ul style="list-style-type: none"> • 1280 x 720 at up to 30 fps • 800 x 600 at up to 30 fps • 720 x 480 at up to 30 fps 	<ul style="list-style-type: none"> • 640 x 480 at up to 30 fps • 320 x 240 at up to 30 fps
Audio	<ul style="list-style-type: none"> • AAC 	<ul style="list-style-type: none"> • G.711
External Device Interface	<ul style="list-style-type: none"> • Power LED • WPS Button • Direct Connect Button 	<ul style="list-style-type: none"> • Reset Button • microUSB Power Connector

Network

Network Protocols	<ul style="list-style-type: none"> • IPv4, ARP, TCP, UDP, ICMP • DHCP Client • NTP Client (D-Link) • DNS Client • DDNS Client (D-Link) • SMTP Client • FTP Client 	<ul style="list-style-type: none"> • HTTP Server • PPPoE • RTP, RTSP, RTCP • UPnP Port Forwarding • HTTPs for configuration • Bonjour
Security	<ul style="list-style-type: none"> • Administrator and user group protection • Password authentication 	<ul style="list-style-type: none"> • HTTP and RTSP digest encryption
Wireless Connectivity	<ul style="list-style-type: none"> • 802.11ac/n/g/b wireless with WEP/WPA/WPA2 encryption 	<ul style="list-style-type: none"> • Operates on 2.4GHz and 5GHz frequency bands

System Integration	
System Requirements for Web Interfaces	<ul style="list-style-type: none"> Operating system: Microsoft Windows 8/7¹, XP SP3¹, Vista¹ or Mac OS X (10.6 and above) Browser: Internet Explorer 7, Firefox 12 or above, Safari 6.0 or above, Chrome 20 or higher with Java installed and enabled
Event Management	<ul style="list-style-type: none"> Event notification and uploading of snapshots/video clips via e-mail (SMTP) or FTP Motion detection Sound level detection
Remote Access	
Remote Management	<ul style="list-style-type: none"> Configuration accessible via web browser
Mobile Support	<ul style="list-style-type: none"> mylink Home app for iOS and Android
General	
Weight	<ul style="list-style-type: none"> 0.35 lbs
Power	<ul style="list-style-type: none"> 5 V DC 1.2 A, 50/60 Hz
Power Consumption	<ul style="list-style-type: none"> 3.5 watts
Temperature	<ul style="list-style-type: none"> Operating: 32 to 104 °F (0 to 40 °C) Storage: -4 to 158 °F (-20 to 70 °C)
Humidity	<ul style="list-style-type: none"> Operating: 20% to 80% non-condensing Storage: 5% to 95% non-condensing
Certifications	<ul style="list-style-type: none"> CE CE LVD FCC Class B C-Tick
Dimensions	<ul style="list-style-type: none"> 4.92 x 3.33 x 2.63 inches
Package Contents	<ul style="list-style-type: none"> HD Wi-Fi Camera (DCS-935L) microUSB power adapter Mounting screws Quick install guide
Order Information	
<i>Part Number</i>	<i>Description</i>
DCS-935L	HD Wi-Fi Camera

¹Computer must adhere to Microsoft's recommended system requirements.

For more information

U.S.A. | 17595 Mt. Herrmann Street | Fountain Valley, CA 92708 | 800.326.1688 | dlink.com

©2015 D-Link Corporation/D-Link Systems, Inc. All rights reserved. D-Link, the D-Link logo, mylink and the D-link RoHS logo are trademarks or registered trademarks of D-Link Corporation or its subsidiaries in the United States and/or other countries. Other trademarks or registered trademarks are the property of their respective owners. iPhone and iPad are registered trademarks of Apple Inc. Android is a trademark of Google Inc. Windows is a registered trademark of Microsoft Inc.

