





AC1900 Wi-Fi Router

Features

Connectivity

- Advanced Wireless AC beamforming dramatically enhances
 wireless signal strength and throughput
- Dual-Band Wireless (one 2.4GHz and one 5GHz band) for faster HD streaming
- 802.11 a/g/n/ac wireless LAN for a complete range of wireless compatibility
- Gigabit WAN and LAN ports for high-speed wired connections

High-Power Amplifier

• Wider coverage throughout your home with 1,000mW amplifiers

SmartConnect

Band steering automatically balances wireless devices
 among the two wireless bands

Intelligent QoS

Device optimization delivers seamless performance for your applications

Security

- \bullet WPA & WPA2 wireless encryption protects the network from intruders
- Wi-Fi Protected Setup (WPS) securely adds devices to your network at the push of a button

Overview

The AC1900 Wi-Fi Router (DIR-879) comes with high power signal amplifiers that will deliver extreme Wi-Fi coverage to all your Wi-Fi devices. With wireless dual band speeds of 600Mbps and 1300Mbps, a dual core processor and SmartConnect technology, the DIR-879 avoids interference to deliver the fastest wireless speeds, improved coverage and reliable connections. The DIR-879 also comes with a new user interface so controlling your network is easier than ever. You can get online in minutes with the Quick Router Setup (QRS) app. The DIR-879 is a robust router solution that will give you a better signal throughout your home.

Dual Band Advantage

The AC1900 Wi-Fi Router delivers dual band performance for intelligent, versatile, interferencefree bandwidth. Check your email and surf the Internet on the 2.4GHz band; and game, make Skype calls and stream HD movies to multiple devices using the cleaner, interference-free 5GHz band Whatever you like to do online, dual band has you covered.

High Power Signal Amplifiers

With its built-in high-power 1,000mW signal amplifiers and AC technology you can enjoy wireless coverage throughout your home. Watch videos in an upstairs room, Skype from your home office, or browse and stream from your couch – with the DIR-879 you can connect wherever and however you want.

AC1900 Wi-Fi Router



Technical Specifications			
General			
Device Interfaces	• 802.11 a/g/n/ac wireless LAN • Dual-Band (one 2.4GHz and one 5GHz band)	• 10/100/1000 Gigabit WAN Port • Four 10/100/1000 Gigabit LAN Ports	
Standards	• IEEE 802.11ac		
Minimum System Requirements	 Windows[®] 10, 8.1, Windows[®] 8, Windows[®] 7, or Mac OS[®] X (v10.7) Ethernet Network Interface Internet Explorer[®] 11, Mozilla[®] Firefox[®] v28, Google Chrome v33, or Safari v7 	• For optimal performance, pair the DIR-879 with an AC adapter (DWA-192) • Cable, DSL or Fiber Optics	
Functionality			
Advanced Features	 SmartConnect Guest Zone Multi-language web setup wizard Green Ethernet DLNA media server support Advanced AC SmartBeam 	 Dual active firewall Network Address Translation (NAT) Stateful Packet Inspection (SPI) VPN Passthrough (PPTP/L2TP/IPsec) Advanced QoS Quick VPN - L2TP over IPsec Extender Mode⁷ 	
Mobile App Support	• QRS Mobile v1.5		
Mobile App Requirements	• QRS Mobile app requires iOS4.3 or Android [™] 2.3.3, or higher		
Wireless Security	• WPA & WPA2 (Wi-Fi Protected Access)	Wi-Fi Protected Setup (WPS) PIN/PBC	
Firewall	SPI (Stateful Packet Inspection)	NAT (Network Address Translation)	



Technical Specifications Continued			
Physical			
Dimensions	• 7.9 x 9.5 x 3.5 inches		
Power	• Input: 100 to 240 V AC, 50/60 Hz	• Output: 12 V DC, 1.5A	
Temperature	• Operating: 32 to 104 °F	• Storage: -4 to 149 °F	
Humidity	Operating: 0% to 90% non-condensing	• Storage: 5% to 95% non-condensing	
Certifications	• FCC Class B • Wi-Fi Certified	• IPv6 Ready	
Package Contents			
What's Inside	 Wireless AC1900 Wi-Fi Router Quick Installation Guide² Power Adapter Ethernet Cable Wi-Fi Configuration Card 		
Warranty			
Waranty	• 1-Year Limited Warranty ³		
Order Information			
Part Number	Description		
DIR-879	• AC1900 Wi-Fi Router		

¹ Maximum wireless signal rate derived from IEEE standard 802.11ac specifications which are subject to change. Actual data throughput will vary. Network conditions and environmental factors, including volume of network traffic, building materials and construction, and network overhead, lower actual data throughput rate. Environmental factors will adversely affect wireless signal range. ² Latest software and documentation are available at http://support.dlink.com. ³1-Year Limited Warranty available only in the USA at http://support.dlink.com/warranty

⁴Extender mode requires future firmware to enable

For more information

U.S.A. | 17595 Mt. Herrmann Street | Fountain Valley, CA 92708 | 800.326.1688 | dlink.com Specifications are subject to change without notice. D-Link is a registered trademark of D-Link Corporation and its overseas subsidiaries. All other trademarks belong to their respective owners. ©2015 D-Link Corporation. All rights reserved.

